


IRRIGATION SCHEDULE

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY	PSI
	Rain Bird 1806-U-PRS U12 Series Turf Spray 6.0" Pop-Up Sprinkler with Co-Molded Wiper Seal. Side and Bottom Inlet. 1/2" NPT Female Threaded Inlet. Pressure Regulating.	52	30
	Rain Bird 1806-U-PRS U15 Series Turf Spray 6.0" Pop-Up Sprinkler with Co-Molded Wiper Seal. Side and Bottom Inlet. 1/2" NPT Female Threaded Inlet. Pressure Regulating.	6	30
	Rain Bird 1806-U-PRS HE-VAN Series Turf Spray 6.0" Pop-Up Sprinkler with Co-Molded Wiper Seal. Side and Bottom Inlet. 1/2" NPT Female Threaded Inlet. Pressure Regulating.	1	30
	Rain Bird 1806-U-PRS 15 Strip Series Turf Spray 6.0" Pop-Up Sprinkler with Co-Molded Wiper Seal. Side and Bottom Inlet. 1/2" NPT Female Threaded Inlet. Pressure Regulating.	48	30
	Rain Bird 1804-1400 Flood Flood Bubblers 4" pop-up	43	40
	Rain Bird 3500-S Shrub Rotor adjustable and full circle	3	25 0.54 15'
	Rain Bird 3500-S Shrub Rotor adjustable and full circle	10	25 0.77 20'
	Rain Bird 3500-S Shrub Rotor adjustable and full circle	1	25 1.40 27'
	Rain Bird 3500-S Shrub Rotor adjustable and full circle	26	25 2.17 29'
	Rain Bird 3500-S Shrub Rotor adjustable and full circle	8	25 2.97 31'
	Rain Bird PN-PP Plastic Nozzle with Plug Performance.	19	65 10.7 58'
	Rain Bird PEB 1", 1-1/2", 2" Plastic Industrial Valves. Low Flow Operating Capability. Globe Configuration.	15	
	Buckner-Superior AV 3/4", 1", 1-1/4", 1-1/2", and 2" Red Brass Angle Shut Off Valves with Cross Handle.	6	
	Rain Bird ESP12-XMEF-LXMSS with (22) ESP12-XMEF-LXMSS 36 Station Commercial Controller. Stainless Steel Metal Cabinet. Flow Sensing	1	
	Rain Bird RSD-BEX Rain Sensor, with bracket, extension wire	1	
	10hp Centrifugal Pump, 165 TDH, 65 psi 6" Cased Well	1	
	Irrigation Lateral Line: PVC Class 160 SDR 26	5,341 L.F.	
	Irrigation Mainline: PVC Class 200 SDR 21	1,955 L.F.	
	Pipe Sleeve: PVC Schedule 80 Typical pipe sleeves for irrigation pipe. Pipe sleeve size shall allow for irrigation piping and their related couplings to easily slide through sleeving material. Extend sleeves 18 inches beyond edges of paving or construction.	208.1 L.F.	



BROWARD COUNTY HIGHWAY CONSTRUCTION AND
ENGINEERING DIVISION
☐ PLAN CONSISTENT
WITH PLAT REQUIREMENTS
☐ PUBLIC RIGHT OF WAY APPROV
FOR PAVING, GRADING AND DR
BY: DATE:
DOES NOT INCLUDE APPROVA
OF PAVEMENT MARKING & SIG

PZ2212000027
8/17/2022