DRC
PZ26-12000005
07/15/2026



TYPE "D" CURB

NOTE
FOR USE ADJACENT TO CONCRETE OR FLEXIBLE PAVEMENT. CONCRETE SHOWN. EXPANSION JOINT, PREFORMED JOINT FILLER AND JOINT SEAL ARE REQUIRED BETWEEN CURBS AND CONCRETE PAVEMENT ONLY.

CONCRETE CURB DETAIL

ENGINEERING STANDARDS 2025

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	CONCRETE CURB
BY	DATE		
S.S.	01-2014		
S.S.	08-2015		
S.S.	07-2016	SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 300-2



FLSS (553.5041(3)(a) All spaces must be located on an accessible route no less than 44 inches wide so that users will not be compelled to walk or wheel behind parked cars except behind his or her own vehicle. (See FLSS 553.5041(3)(e)(1) relating to existing parking facilities)

Recommended Accessible Parking Space(s) Design for Double Line Requirements

N.T.S.

THIS TECHNICAL ASSISTANCE DOCUMENT IS INTENDED TO PROVIDE INFORMAL GUIDANCE AND DOES NOT CONSTITUTE A LEGAL INTERPRETATION OF STATUTORY OR REGULATORY CRITERIA.

ENGINEERING STANDARDS 2025

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	ACCESSIBLE PARKING SPACES
BY	DATE		
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 300-4



ACCESSIBLE PARKING SPACE SIGN

N.T.S.

SIGN NOTE
ACCESSIBLE PARKING SPACES SHALL BE POSTED WITH A FIXED PARKING SIGN NO LESS THAN 60" MIN. TO THE BOTTOM OF THE SIGN AND WHICH BEARS THE INTERNATIONAL SYMBOL OF ACCESSIBILITY MEETING THE REQUIREMENTS OF THE STANDARDS AND THE CAPTION "PARKING BY DISABLED PERMIT ONLY." AND MUST INDICATE THE PENALTY FOR ILLEGAL USE OF THE SPACE.

ENGINEERING STANDARDS 2025

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	ACCESSIBLE SPACE SIGN
BY	DATE		
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 300-5



ENGINEERING STANDARDS 2025

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	ADA Detectable Warning Mats
BY	DATE		
			APPROVED BY:
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 318-1



NOTE: REFER TO FDOT INDEX NO. 304

PLAN



HANDICAP RAMP DETAIL SECTION A-A



ELEVATION VIEW

3' HORIZONTAL CURB TRANSITION DETAIL

N.T.S.



GUARD POST

ENGINEERING STANDARDS 2025

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	GUARD POST
BY	DATE		
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 304-1



SURFACE RESTORATION

ENGINEERING STANDARDS 2025

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	SURFACE RESTORATION
BY	DATE		
S.S.	5/05/10		
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 306-1



TYPICAL SCREEN FOR UTILITIES

NOTES:
PLEASE NOTE THAT AS PER CITY ORDINANCE(S) 50.02(A) (4) AND 100.35(E), STREET TREES SHALL NOT BE PLACED ON TOP OF OR 5' OF EITHER SIDE OF ANY CITY OWNED UTILITY INFRASTRUCTURE. ALSO, PLEASE NOTE THAT NO TREES SHRUBBERY OR OBSTRUCTION SHALL BE PLACED WITHIN A 3' RADIUS OF A CITY OWNED LATERAL CLEANOUT OR WATER & OR REUSE METER.

ENGINEERING STANDARDS 2025

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	TYPICAL SCREEN FOR UTILITIES
BY	DATE		
TCW	APRIL 2010		APPROVED BY:
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 315-1

URBN DESIGN
10800 BISCAYNE BLVD.
SUITE 935
MIAMI, FL 33161
Phone: 305.720.2079
C.O.A. 33221

CHRISTOPHER P. COLLINS, P.E. No 73819 STATE OF FLORIDA PROFESSIONAL ENGINEER
6/09/2026

This item has been digitally signed and sealed by Christopher P. Collins, P.E. on the date adjacent to the seal.

Signature must be verified on any electronics copies.

Christopher Collins
Digitally signed by Christopher Collins
Date: 2026.06.10 10:04:12 -04'00'

Revision 4	Date
Comment	
Revision 3	Date
Comment	
Revision 2	Date
Comment	
Revision 1	Date
Comment	
Revision 0	Date
Comment	
Revision 1	Date
Comment	

Designed by:	C.P.C.
Drawn by:	A.D.
Checked by:	C.P.C.
Approved by:	C.P.C.
Scale:	N.T.S.
Date:	6/09/2026
Job No.:	C015

© 2026

Plans for

POMPANO CITI CENTRE
1300-1460 N.E. 23RD STREET
POMPANO BEACH, FL

CITY OF POMPANO BEACH DETAILS

Sheet No.
C-8.0

C:\Users\ADMIN\My SharesSync\C015\Civil\DWG\C-8.0 CITY OF POMPANO BEACH DETAILS.dwg 6/09/2026 11:18am