

**KEITH**  
 301 East Atlantic Blvd.  
 Pompano Beach, FL 33060  
 PH: (954) 788-3400

Florida Engineering Business License: CA7928  
Florida Surveyor and Mapper Business License: LB6860  
Florida Landscape Architecture Business License: LC260004

[illegible]

RESPONSIBILITY FOR THE USE OF THESE  
PLANS PRIOR TO OBTAINING PERMITS FROM  
ALL AGENCIES HAVING JURISDICTION OVER  
THE PROJECT WILL FALL SOLELY UPON THE  
USER.

ISSUE DATE: 07/30/24


DESIGNED BY: MF

DRAWN BY: KL

CHECKED BY: MF

**BID-CONTRACT:**

This item has been digitally signed and sealed by Michael J. Phillips, on the date below using a Digital Signature.



Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

**MICHAEL J. PHILLIPS, PLA**  
**FLORIDA REG. NO. LA0001540**  
**(FOR THE FIRM)**

**CLIENT**

**VINCENTO  
THROWER, THOMAS  
GRANER TRUSTEE**

PROJECT

2851 DR. MLK JR.  
BLVD., POMPANO  
BEACH


**SHEET TITLE**

## IRRIGATION PLAN

**SHEET  
NUMBER**      **LI-101**


PROJECT NUMBER	14232.00
-------------------	----------

IRRIGATION SCHEDULE				
SYMBOL		MANUFACTURER/MODEL/DESCRIPTION	QTY	PSI
 Q T H F		HUNTER PROS-06 8 SERIES SHRUB SPRAY, 6IN. POP-UP. CO-MOLDED WIPER SEAL WITH UV RESISTANT MATERIAL.	4	30
 Q T H F		HUNTER PROS-06 10 SERIES SHRUB SPRAY, 6IN. POP-UP. CO-MOLDED WIPER SEAL WITH UV RESISTANT MATERIAL.	42	30
 Q H TT F		HUNTER PROS-06 12 SERIES SHRUB SPRAY, 6IN. POP-UP. CO-MOLDED WIPER SEAL WITH UV RESISTANT MATERIAL.	15	30
 Q T H TT TT F		HUNTER PROS-06 12 SERIES SHRUB SPRAY, 6IN. POP-UP. CO-MOLDED WIPER SEAL WITH UV RESISTANT MATERIAL.	1	30
 Q T Q F		HUNTER PROS-06 15 SERIES SHRUB SPRAY, 6IN. POP-UP. CO-MOLDED WIPER SEAL WITH UV RESISTANT MATERIAL.	35	30
 4 6 8 10 12 15 17		HUNTER PROS-06 ADJ SERIES SHRUB SPRAY, 6IN. POP-UP. CO-MOLDED WIPER SEAL WITH UV RESISTANT MATERIAL.	4	30
 25 50 10 20		HUNTER PCB 10 FLOOD BUBBLER, 1/2" FIPT.	14	30



## NOTES

1. ALL SOD AND LANDSCAPE TO RECEIVE 100% COVERAGE WITH 100% OVERLAP FROM AN AUTOMATIC IRRIGATION SYSTEM USING AN APPROVED WATER SOURCE.
2. A RAIN SENSOR MUST BE INSTALLED TO OVER-RIDE THE CONTROLLER.
3. BUBBLERS TO BE PROVIDED FOR NEW AND RELOCATED TREES AND PALMS.
4. CONTRACTOR IS RESPONSIBLE FOR ALL CONDITIONS AND IRRIGATION SPECIFICATION ATTACHED TO THIS PLAN. PLAN AND SPECIFICATIONS SHALL BE CONSIDERED CONTRACT DOCUMENTS.
5. INVESTIGATE TO DETERMINE AND VERIFY THE LOCATION OF UNDERGROUND UTILITIES BEFORE EXCAVATION.
6. REFER TO SHEET LI-501 FOR ADDITIONAL IRRIGATION SPECIFICATIONS AND DETAILS.
7. NOZZLE SELECTION BASED ON COVERAGE REQUIREMENTS.



SCALE: 1" = 30'

NOTE: PRINTED DRAWING SIZE  
MAY HAVE CHANGED FROM  
ORIGINAL. VERIFY SCALE USING  
BAR SCALE ABOVE.