

CONCRETE CURB AND GUTTER DETAIL

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CONCRETE CURB AND GUTTER
S.S.	07-2016		DATE: MAY 2022
		SCALE: N.T.S.	DWG. NO. 300-1



NOTE
FOR USE ADJACENT TO CONCRETE OR FLEXIBLE PAVEMENT, CONCRETE SHOWN. EXPANSION JOINT, PREFORMED JOINT FILLER AND JOINT SEAL ARE REQUIRED BETWEEN CURBS AND CONCRETE PAVEMENT ONLY.

CONCRETE CURB DETAIL

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CONCRETE CURB
S.S.	01-2014		DATE: MAY 2022
S.S.	08-2015		DWG. NO. 300-2
S.S.	07-2016	SCALE: N.T.S.	



GUARD POST

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	GUARD POST
			DATE: MAY 2022
		SCALE: N.T.S.	DWG. NO. 304-1



SURFACE RESTORATION

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SURFACE RESTORATION
S.S.	5/05/10		DATE: MAY 2022
		SCALE: N.T.S.	DWG. NO. 306-1



SIDEWALK DETAILS

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
			DATE: JUNE 2022
		SCALE: N.T.S.	DWG. NO. 301-1



NOTE: SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6".

SIDEWALK DETAILS

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
			DATE: JUNE 2022
		SCALE: N.T.S.	DWG. NO. 301-2



SURFACE RESTORATION

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SURFACE RESTORATION
			DATE: MAY 2022
		SCALE: N.T.S.	DWG. NO. 306-2

EDGE OF PAVEMENT RESTORATION

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	EDGE OF PAVEMENT RESTORATION
			DATE: MAY 2022
		SCALE: N.T.S.	DWG. NO. 306-4



TYPICAL SCREEN FOR UTILITIES

NOTES
PLEASE NOTE THAT AS PER CITY ORDINANCE(S) 50.02(A) (4) AND 100.35(E), STREET TREES SHALL NOT BE PLACED ON TOP OF OR 5' OF EITHER SIDE OF ANY CITY OWNED UTILITY INFRASTRUCTURE. ALSO, PLEASE NOTE THAT NO TREES SHRUBBERY OR OBSTRUCTION SHALL BE PLACED WITHIN A 3' RADIUS OF A CITY OWNED LATERAL CLEANOUT OR WATER & OR REUSE METER.

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	TYPICAL SCREEN FOR UTILITIES
TCW	APRIL 2016		APPROVED BY:
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 315-1



NOTE: PRIMARY DIMENSION INCHES mm IN PARENTHESES

ADA Detectable Warning Mats

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	ADA Detectable Warning Mats
		APPROVED BY:	DATE: MAY 2022
		SCALE: N.T.S.	DWG. NO. 318-1

This item has been digitally signed and sealed by Matthew J. Giani on the date on the digital seal.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

MATTHEW J. GIANI LICENSE No. 84229 STATE OF FLORIDA PROFESSIONAL ENGINEER

DRC
PZ24-12000011
07/17/2024

DATE	BY	REVISIONS DESCRIPTION

SDA ENGINEERING
ENGINEERING ○ SURVEYING ○ PLANNING
ENGINEERING AUTH. NO. 5634 SURVEYING LIC. NO. LB-6456
3410 N. Andrews Avenue Ext. ● Pompano Beach, Fl. 33064
PH: 954-943-9433 ● FAX: 954-783-4754

DRAWN BY: MJG
CHECKED BY: JFD
DESIGNED BY: MJG
APPROVED BY: S.D.A.
SCALE: N.T.S.

ATLANTIC ONE
MIXED-USE DEVELOPMENT
POMPANO BEACH, BROWARD COUNTY, FLORIDA

PAVING, GRADING & DRAINAGE
DETAILS

SEAL
FOR THE FIRM, BY:
Matthew J Giani
Digitally signed by Matthew J Giani
Date: 2024.06.10 16:38:43 -04'00'
MATTHEW J. GIANI P.E.
FLA. P.E. No. 84229

DATE: JUNE 2024
JOB NO. 1136B.01
SHEET CE10

C:\Users\mattg\OneDrive - SDA Engineering\Documents - SDA Engineering\Cad\Engr\1136A.00 Atlantic One - Pompano Mixed Use\1136B.01 Atlantic One\PGD Details\1136B PGD Details.dwg, 6/10/2024 4:00:42 PM