


SCALE: 1" = 30'
(FOR 24" x 36" DRAWING)



LEGEND

PROPOSED PAVEMENT	PROPOSED DRAINAGE INLET
PROPOSED CONCRETE	PROPOSED GATE VALVE
EXISTING PAVEMENT	PROPOSED FIRE HYDRANT
EXISTING CONCRETE	PROPOSED FDC
PROPERTY LINE	PROPOSED WATER METER
RIGHT-OF-WAY LINE	WATER SERVICE
EASEMENT LINE	PROPOSED DDCV
CENTERLINE	PROPOSED AIR RELEASE VALVE
PROPOSED FENCING	PROPOSED SANITARY MANHOLE
EXISTING FENCING	PROPOSED CLEANOUT
PROPOSED CONTOUR	TEMPORARY SILT FENCE
EXISTING UNDERGROUND UTILITIES	TEMPORARY GRAVEL ENTRANCE
PROPOSED TYPE "D" CURB & GUTTER	TEMPORARY INLET PROTECTION
PROPOSED TYPE "F" CURB & GUTTER	
EXISTING TYPE "F" CURB & GUTTER	
EDGE OF WATER	
FLOW LINE	
RIDGE LINE	
BUILDING FOOTPRINT	
EXISTING SPOT ELEVATION	
EXISTING DRAINAGE INLET	

ABBREVIATIONS

EX EXISTING	CMP CORRUGATED METAL PIPE
R/W RIGHT OF WAY	PVC POLYVINYL CHLORIDE
PL PROPERTY LINE	RCP REINFORCED CONCRETE PIPE
F.F.E. FINISHED FLOOR ELEVATION	DIP DUCTILE IRON PIPE
BCR BROWARD COUNTY RECORDS	PE POLYETHYLENE
PB PLAT BOOK	GV GATE VALVE
PG PAGE	DDCV DUAL DIAPHRAGM CHECK VALVE
DIA DIAMETER	FDC FIRE DEPARTMENT CONNECTION
LF LINEAR FEET	
N NORTH	
S SOUTH	
E EAST	
W WEST	

- NOTES:**
- ALL ELEVATIONS REFER TO NATIONAL VERTICAL DATUM OF 1988 (N.A.V.D. 88)
 - ALL STORM DRAINAGE STRUCTURES SHALL HAVE FILTER FABRIC INSTALLED FOR INLET PROTECTION.
 - ALL PROPOSED INLETS SHALL BE PROTECTED BY FILTER FABRIC UNTIL FINAL PAVEMENT AND SOD IS COMPLETED.

TEMPORARY POLLUTION PREVENTION PLAN

PALM AIRE TENNIS CENTER
RWB / LINARES ARCHITECTURE

WINNINGHAM & FRADLEY
ENGINEERS • PLANNERS • SURVEYORS
4400 STREET • OAKLAND PARK, FL 33334
Office: 954.771.0288 • Fax: 954.771.0288 • www.winfrad.com

DESIGNED: BMF	DATE: 10/20/24	PUBLISHED: 4/9/2025, 3:31:25 PM
DRAWN: MDB	DATE: 10/20/24	PROJECT NUMBER: 000922036
CHECKED: BMP	DATE: 4/9/2025	SHEET: TPPP1 OF 4

