





ENGINEERING STANDARDS 2022ENGINEERING STANDARDS 2022ENGINEERING STANDARDS 2022ENGINEERING STANDARDS 2022

ACCESSIBLE PARKING SPACES SHALL BE POSTED WITH A FIXED PARKING SIGN NO LESS THAN 60" Min. TO THE BOTTOM OF THE SIGN AND WHICH BEARS THE INTERNATIONAL SYMBOL OF ACCESSIBILITY MEETING THE REQUIREMENTS OF THE STANDARDS AND THE CAPTION "PARKING BY DISABLED PERMIT ONLY." AND MUST INDICATE THE PENALTY FOR ILLEGAL USE OF THE SPACE.

ENGINEERING STANDARDS 2022ENGINEERING STANDARDS 2022

NOTE: SIDEWALK SHALL BE 4" THICK EXCEPT
IN DRIVEWAYS WHERE THE THICKNESS
SHALL BE 6".


ENGINEERING STANDARDS 2022

CITY OF POMPAÑO BEACH

STANDARD MISCELLANEOUS DETAILS

PALM AIRE TENNIS CENTER

RWB / LINARES ARCHITECTURE


WINNINGHAM & FRADLEY
PLANNERS & SURVEYORS
 1401 W. 1ST STREET • OAKLAND PARK, FL 33334
 OFFICE: TEL: 954-771-0288 • FAX: 954-771-0288 • www.winfrad.com

DESIGNED:	AMF	DATE:	10/20/24	PUBLISHED:	3/10/2025, 12:22:25 PM
DRAWN:	AMF	DATE:	10/20/24	PROJECT NUMBER	SHEET
CHECKED:	BMP	DATE:	10/20/24	22036	MD1 OF 3