

2203

BURGOS LANZA & ASSOCIATES
1248 S ALHAMBRA CIRCLE
CORAL GABLES, FL 33146
(786) 554-9035
AIA 38052598
WWW.BURGOSLANZA.COM

PABLO BURGOS ARCHITECT AR 0094925
CARLOS LANZA ARCHITECT AR 0016081

MRS. LANZA ARCHITECTS AND APE
EXPRESS WRITTEN CONSENT OF THE SAME

Pablo Burgos
Digitally signed by Pablo Burgos
DN: cn=Pablo Burgos, o=Burgos
Zanla & Assoc., ou=AR95925,
email=pburgos@burgoszanla.co
c=US
Date: 2022.05.11 17:11:07 -04'00'

THIRD FLOOR LIFE
SAFETY PLYWOOD #3
SCALE 1/8" = 1' - 0"
LS 1 32

DRC
SAFETY P...
SCALE 1/8" = 1' - 0"
S132
PZ22-12000008
6/15/2022

ALL INSULATION MATERIALS TO HAVE A FLAME SPREAD INDEX OF NOT MORE THAN 25 AND A SMOKE-DEVELOPED INDEX OF NOT MORE THAN 450. PER FBC 7th EDITION (2020), SECT 719.2

