

DROP CURB



TYPE "F" CURB & GUTTER

CONCRETE CURB AND GUTTER DETAIL

ENGINEERING STANDARDS 2019			
REVISIONS BY / DATE: S.S. 07-2016	ENGINEERING DIVISION CITY OF POMPANO BEACH	CONCRETE CURB AND GUTTER	DATE: JUNE 1996 DWG. NO. 300-1
	SCALE: N.T.S.		



TYPE "D" CURB

NOTE

FOR USE ADJACENT TO CONCRETE OR FLEXIBLE PAVEMENT, CONCRETE SHOWN. EXPANSION JOINT, PREFORMED JOINT FILLER AND JOINT SEAL ARE REQUIRED BETWEEN CURBS AND CONCRETE PAVEMENT ONLY.

CONCRETE CURB DETAIL

ENGINEERING STANDARDS 2019			
REVISIONS BY / DATE: S.S. 01-2014; S.S. 08-2015; S.S. 07-2016	ENGINEERING DIVISION CITY OF POMPANO BEACH	CONCRETE CURB	DATE: January 2000 DWG. NO. 300-2
	SCALE: N.T.S.		



PLAN



TYPICAL SIDEWALK SECTION

SIDEWALK DETAILS

ENGINEERING STANDARDS 2019			
REVISIONS BY / DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS	DATE: JUNE 2005 DWG. NO. 301-1
	SCALE: N.T.S.		

TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
"A"	JOINT SHALL BE PLACED AT P.C. AND P.T. OF CURVES, JUNCTION OF EXISTING SIDEWALKS, EVERY 60' ON NEW SIDEWALKS AND WHERE SIDEWALKS ABUT CONCRETE CURBS, DRIVEWAYS AND SIMILAR STRUCTURES.
"B"	JOINT SHALL BE PLACED 5'-0" CENTER
"C"	JOINT SHALL BE PLACED AT 20' INTERVALS



TYPE "A" JOINT



TYPE "B" JOINT



TYPE "C" JOINT

NOTE: SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6".

SIDEWALK DETAILS

ENGINEERING STANDARDS 2019			
REVISIONS BY / DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS	DATE: JUNE 2005 DWG. NO. 301-2
	SCALE: N.T.S.		



TYPICAL FENCE POST SINGLE LEAF GATE

CHAIN LINK FENCE INSTALLATION DETAILS (Without Barbed Wire)

NOTE:

ALL FENCE POST INSTALATIONS MUST MEET ALL FLORIDA BUILDING CODES

ENGINEERING STANDARDS 2019			
REVISIONS BY / DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CHAIN LINK FENCE	DATE: 2018 DWG. NO. 303-3
	SCALE: N.T.S.		



CHAIN LINK FENCE

NOTE:

ALL FENCE POST INSTALATIONS MUST MEET ALL FLORIDA BUILDING CODES

ENGINEERING STANDARDS 2019			
REVISIONS BY / DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CHAIN LINK FENCE	DATE: 2018 DWG. NO. 303-4
	SCALE: N.T.S.		



GUARD POST

ENGINEERING STANDARDS 2019			
REVISIONS BY / DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	GUARD POST	DATE: JUNE 1996 DWG. NO. 304-1
	SCALE: N.T.S.		



TYP. DRIVEWAY SWALE SECTION

ENGINEERING STANDARDS 2019			
REVISIONS BY / DATE: S.S. 6/21/07	ENGINEERING DIVISION CITY OF POMPANO BEACH	TYPICAL DRIVEWAY SWALE	DATE: FEB. 1998 DWG. NO. 305-2
	SCALE: N.T.S.		

KEITH
301 East Atlantic Blvd.
Pompano Beach, FL 33060
PH: (954) 788-3400
Florida Engineering Business License: CA7928
Florida Surveyor and Mapper Business License: LB6860
Florida Landscape Architecture Business License: LC26000457

REVISIONS

NO.	DESCRIPTION	DATE

Plotted by: nwarrick On 5/11/2022 6:39 PM

PRELIMINARY PLAN NOT FOR CONSTRUCTION

THESE PLANS ARE NOT FULLY PERMITTED AND ARE SUBJECT TO REVISIONS MADE DURING THE PERMITTING PROCESS.

RESPONSIBILITY FOR THE USE OF THESE PLANS PRIOR TO OBTAINING PERMITS FROM ALL AGENCIES HAVING JURISDICTION OVER THE PROJECT WILL FALL SOLELY UPON THE USER.

ISSUE DATE:	01/25/22
DESIGNED BY:	JW
DRAWN BY:	FA/NW
CHECKED BY:	TD
BID-CONTRACT:	

This item has been digitally signed and sealed by Thomas F. Donahue, P.E. on the date below using a Digital Signature.

THOMAS F. DONAHUE LICENSE No. 60529 STATE OF FLORIDA PROFESSIONAL ENGINEER

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

2022.05.12 10:22:51-04'00'

THOMAS F. DONAHUE, P.E.
FLORIDA REG. NO. 60529
(FOR THE FIRM)

CLIENT

US GATEWAY INVESTMENTS LLC

PROJECT

GATEWAY LUXURY APARTMENTS
950 N. Powerline Road
Pompano Beach, FL

SHEET TITLE

PAVING, GRADING, AND DRAINAGE DETAILS

SHEET NUMBER	CP 504
PROJECT NUMBER	12697.00

Drawing name: T:\12697.00 - Powerline Road Pompano Beach - Multi Family Residence - US Gateway Investments\Engineering\Cad\12697.00-CP-5XX.dwg

STATUS: PRELIMINARY

DRC
PZ22-12000008
6/15/2022