



FILE PATH: \\A\0101014 - Chick-fil-A\0101014-01-208 (DWG) - 00007 Atlantic Perimeter FSD Perimeter\Engineering\Perimeter\0101014-01-208-DET.dwg 8/24/2023
THIS DOCUMENT, TOGETHER WITH THE CONCEPTS AND DESIGN PRESENTED HEREIN, IS INTENDED ONLY FOR THE SPECIFIC PURPOSE AND CLIENT FOR WHICH IT WAS PREPARED. REUSE OF AND IMPROPER RELIANCE ON THIS DOCUMENT WITHOUT WRITTEN AUTHORIZATION AND ADAPTATION BY BOWMAN CONSULTING SHALL BE WITHOUT LIABILITY TO BOWMAN CONSULTING.




- NOTE:
1. GENERAL CONTRACTOR SHALL REFERENCE SITE SPECIFIC GEOTECHNICAL REPORT FOR PAVEMENT, AGGREGATE, AND SUBGRADE SECTION REQUIREMENTS.
 2. MINIMUM PAVEMENT THICKNESS SHOULD BE 8\"/>

1 TYPICAL HMAC PAVEMENT SECTION
C-4.2 NOT TO SCALE




2 BUTT JOINT
C-4.2 NOT TO SCALE




- NOTE:
1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.
 2. MINIMUM PAVEMENT THICKNESS SHALL BE 6\"/>

3 CONCRETE PAVEMENT DRIVE-THRU LANE
C-4.2 NOT TO SCALE



- NOTE:
1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.


4 CONCRETE APRON AT TRASH ENCLOSURE
C-4.2 NOT TO SCALE



- NOTE:
1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.


5 PAVEMENT EDGE DETAIL (START & END OF DRIVE-THRU LANES)
C-4.2 NOT TO SCALE

- NOTES:
1. DESIGN PER GEOTECH REPORT PREPARED BY UNITED CONSULTING, DATED MAY 9TH, 2023.
 2. PAVEMENTS & SUBGRADES INCLUDING MATERIALS & COMPACTION SHALL MEET STANDARDS & SPECIFICATIONS OF THE GOVERNING DEPARTMENT OF TRANSPORTATION.
 3. JOINTING & SPACING SHALL BE PER CONCRETE JOINT DETAILS.
 4. CONCRETE SHALL HAVE A MIN. COMPRESSIVE STRENGTH OF 4,000 PSI @ 28 DAYS.




- NOTE:
1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.
 2. MINIMUM PAVEMENT THICKNESS SHALL BE 5\"/>

6 CONCRETE PAVEMENT
C-4.2 NOT TO SCALE




- NOTE:
1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.

7 TRANSVERSE AND LONGITUDINAL CONTRACTION JOINT
C-4.2 NOT TO SCALE



- NOTE:
1. GENERAL CONTRACTOR SHALL REFERENCE GEOTECHNICAL REPORT FOR PAVEMENT SECTION REQUIREMENTS.

8 TRANSVERSE AND LONGITUDINAL DOWELED CONSTRUCTION JOINT
C-4.2 NOT TO SCALE




Chick-fil-A
5200 Buffington Road
Atlanta, Georgia 30349-2998

Bowman

Certificate of Authorization License No. 30462
910 SE 17th St, Suite 300
Fort Lauderdale, FL 33316
Phone: (954) 714-6481
www.bowman.com
© 2021 Bowman Consulting Group Ltd

Seal

This item has been
digitally signed and
sealed by Andres
Mizrahi, P.E.
on the date
adjacent to this
seal.



Printed copies
of this document
are not considered
signed and sealed
and the signature
must be verified on any
electronic copies.
2023.08.29 15:17:30-04'00'
ANDRES MIZRAHI, P.E.
FLORIDA REG. NO. 92421

CHICK-FIL-A
ATLANTIC &
POWERLINE
2100 W ATLANTIC BLVD
POMPANO BEACH, FL 33069

FSR#05557

BUILDING TYPE / SIZE: P14 LS BN

REVISION SCHEDULE
NO. DATE DESCRIPTION

CONSULTANT PROJECT # 010014-01-208
PRINTED FOR PERMIT
DATE 8/24/2023
DRAWN BY STC

Information contained on this drawing and in all digital files
produced for above named project may not be reproduced in
any form without written consent of the consultant.
SHEET CHICK-FIL-A DETAILS
SHEET NUMBER

PERMIT
P-23-1200037
10/04/2023