


ELEVATION NOTES

- ALL ELEVATIONS ON THIS PLAN ARE BASED ON THE NGVD 29 DATUM.

SCALE: 1"=40'



| LEGEND |                                   |
|--------|-----------------------------------|
|        | PROPOSED DRAIN PIPE & CATCH BASIN |
|        | PROPOSED ELEVATION                |
|        | EXISTING ELEVATION                |
|        | PROPOSED FLOW DIRECTION           |
|        | PROPOSED ASPHALT                  |
|        | PROPOSED CONCRETE                 |
|        | PROPOSED FENCE                    |
|        | EXISTING SANITARY SEWER MAIN      |
|        | EXISTING WATER MAIN               |
|        | EXISTING DRAINAGE STRUCTURES      |

ABBREVIATIONS

|        |                          |
|--------|--------------------------|
| BCR    | BROWARD COUNTY RECORDS   |
| BFE    | BASE FLOOD ELEVATION     |
| BFP    | BACKFLOW PREVENTOR       |
| C & G  | CURB & GUTTER            |
| CB     | CATCH BASIN              |
| CBS    | CONCRETE BLOCK STUCCO    |
| CLF    | CHAIN LINK FENCE         |
| CPP    | CONCRETE POWER POLE      |
| DE     | DRAINAGE EASEMENT        |
| ECP    | EQUIPMENT CONCRETE PAD   |
| EX.    | EXISTING                 |
| FF EL  | FINISHED FLOOR ELEVATION |
| FH     | FIRE HYDRANT             |
| GV     | GATE VALVE               |
| HH     | HAND HOLE                |
| INV    | INVERT                   |
| PB, PG | PLAT BOOK & PAGE         |
| PL     | PROPERTY LINE            |
| R/W    | RIGHT OF WAY             |
| SDMH   | STORM DRAIN MANHOLE      |
| TYP.   | TYPICAL                  |
| UE     | UTILITY EASEMENT         |
| WM     | WATER MAIN               |
| WPP    | WOOD POWER POLE          |
| YD     | YARD DRAIN               |

FLOOD ZONE DATA:

|                        |                          |
|------------------------|--------------------------|
| FLOOD ZONE             | : X                      |
| BASE FLOOD ELEVATION   | : NA                     |
| HIGHEST ADJACENT GRADE | : NA                     |
| COMMUNITY PANEL #      | : 120055 (POMPANO BEACH) |
| FLOOD PANEL #          | : 12011C0356H            |
| EFFECTIVE DATE         | : 08/08/14               |

PAVEMENT OVERLAY NOTES:

- PRIOR TO PAVING THE OVERLAY, ALL AREAS OF ASPHALT THAT ARE STRUCTURALLY DAMAGED SHALL BE REPAIRED.
- ONCE THE EXISTING ASPHALT HAS BEEN REPAIRED TO THE SATISFACTION OF THE RECORD ENGINEER AND THE OWNER, THE EXISTING ASPHALT SHALL BE SWEEPED CLEAN.
- A TACK COAT SHALL BE INSTALLED OVER THE EXISTING ASPHALT.
- CONTRACTOR SHALL CALL FOR AN INSPECTION BY THE RECORD ENGINEER PRIOR TO PAVING THE OVERLAY.
- CONTRACTOR TO OVERLAY THE ASPHALT WITH A 1" STRUCTURAL COURSE. CONTRACTOR TO PROVIDE PAVING MIX TO RECORD ENGINEER FOR APPROVAL PRIOR TO PAVING.

STORM SYSTEM:

- THERE IS AN EXISTING STORM SYSTEM INCLUDING SWALES, STORM INLETS, AND EXFILTRATION TRENCH.
- SINCE THIS PROJECT IS NOT ADDING ANY IMPERVIOUS AREA, NO ADDITIONAL STORMWATER IMPROVEMENTS ARE PROPOSED.
- CONSULTATION WITH THE PROPERTY OWNER INDICATES THAT, UNDER NORMAL STORM CONDITIONS, THERE ARE NO DRAINAGE ISSUES ON-SITE.

48 HOURS BEFORE DIGGING  
CALL SUNSHINE  
TOLL FREE  
1-800-432-4770

UNDERGROUND UTILITIES NOTIFICATION  
CENTER OF FLORIDA

Howard E Jablon Digitally signed by  
Howard E Jablon  
Date: 2024.06.14  
07:44:19 -04'00'

THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND  
SEALED BY HOWARD E JABLON ON THE DATE NOTED  
ABOVE USING A SHA AUTHENTICATION CODE.  
PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED  
SIGNED AND SEALED AND THE SHA AUTHENTICATION CODE  
MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

| SCALE: 1" = 40'  | PRE-CITY APPROVAL REVISIONS |                           | REVISIONS AFTER CITY APPROVAL |          |
|------------------|-----------------------------|---------------------------|-------------------------------|----------|
|                  | DATE                        | COMMENTS                  | DATE                          | COMMENTS |
| DRAWN BY: HEJ    | 12/12/23                    | UPDATE PER CITY SP RAI #1 |                               |          |
| CHECKED BY: LJ   | 05/01/24                    | UPDATE PER CITY SP RAI #2 |                               |          |
| APPROVED BY: HEJ |                             |                           |                               |          |

AJ HYDRO  
ENGINEERING, INC.  
5932 NW 73RD COURT  
PARKLAND, FL 33067  
TEL (954) 347-3397  
AJHYDRO@BELLSOUTH.NET  
CA P96000078194

COASTAL RECYCLING OF POMPANO  
(HAMMONDVILLE SITE)  
2407 HAMMONDVILLE ROAD  
POMPANO BEACH, FLORIDA

TITLE:

PAVING & DRAINAGE PLAN

|                             |             |
|-----------------------------|-------------|
| SEAL:                       | DATE:       |
| HOWARD JABLON, PE<br>#47514 | 06/13/23    |
|                             | DRAWING NO. |
|                             | 22-0110     |
|                             | SHEET NO.   |
|                             | PD1 OF 4    |