






















LOCATION PLAN

N. T. S.

LEGEND:

	EXISTING WATER MAIN
	PROPOSED WATER MAIN
	EXISTING SEWER MAIN
	PROPOSED SEWER MAIN
	EXISTING DRAINAGE
	PROPOSED DRAINAGE
	PROPOSED PAVEMENT
	EXISTING PAVEMENT
	EXISTING ELEVATIONS
	PROPOSED ELEVATIONS
	DIRECTION OF RUN-OFF
	EXISTING TEE
	PROPOSED TEE
	EXISTING CATCH BASIN
	PROPOSED CATCH BASIN
	EXISTING VALVE
	PROPOSED VALVE
	EXISTING MANHOLE
	PROPOSED MANHOLE
	EXISTING FIRE HYDRANT
	PROPOSED FIRE HYDRANT

1. ALL CONSTRUCTION VEHICLES REMOVING AND/OR HAULING FILT, DEBRIS, AND MATERIALS ONTO OR OFF THE CONSTRUCTION SITE SHALL HAVE THE EXCESS MATERIAL REMOVED FROM THE EXTERIOR OF THE VEHICLE PRIOR TO LEAVING THE SITE. CONTRACTOR SHALL SUBMIT A PLAN WITH DETAILS TO THE ENGINEER FOR CITY REVIEW AND APPROVAL PRIOR TO CONSTRUCTION.
2. THE APPROVED PLAN SHALL BE KEPT ON SITE AT ALL TIMES. CONTRACTOR SHALL NOTIFY THE ENGINEER EVERY 30 DAYS TO SCHEDULE FOR AN INSPECTION OF THE POLLUTION PREVENTION PLAN.
3. CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL REQUIRED PERMITS FOR EARTHWORK AND PROVIDE TO OWNER PRIOR TO COMMENCEMENT.
4. CONTRACTOR SHALL TAKE APPROPRIATE MEASURES TO MINIMIZE RUN-OFF FROM THE PROJECT DURING CONSTRUCTION TO ADJACENT PROPERTIES AND STREET RIGHT-OF-WAYS BY INSTALLING A SILT FENCE INSTALLED PER F.D.O.T. INDEX 102.
5. EXISTING CATCH BASINS IN STREET RIGHT-OF-WAYS WITHIN 50 FEET OF PROJECT LIMITS SHALL BE PROTECTED WITH BAIED HAY BARRIERS PER F.D.O.T. INDEX 102. EXISTING CATCH BASINS NOTED SHALL BE CLEANED AFTER CONSTRUCTION OF PROJECT.
6. CONTRACTOR SHALL MAINTAIN ADJACENT STREETS AND SWALES IN A CLEAN AND DEBRIS-FREE CONDITION.
7. CONTRACTOR SHALL INSTALL TEMPORARY TRUCK WASH STATION ADJACENT TO PROJECT ENTRANCE CONSISTING OF MIN. 12' x 24' AREA FILLED WITH 6" 1-2 STONE AND WATER SOURCE.

NOTES:

1. THE ELEVATIONS SHOWN ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM - NAVD 1988
2. PROPERTY LIES IN FLOOD AE 5 - AUG., 18, 2014

This item has been digitally signed and sealed by Robert C Smith, P.E., on April 13, 2022. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.



6/15/2022