

J:\CITY-STANDARDS\2019 Standards Details\Drainage 4-1.dwg, 11/2/2018 10:24:00 AM

**TYPE "C" INLET**  
RECOMMENDED MAXIMUM PIPE SIZE  
2'-0" WALL-18" PIPE  
3'-1" WALL-24" PIPE

REVISIONS		ENGINEERING DIVISION		TYPE "C" INLET	
BY	DATE	CITY OF POMPANO BEACH		DATE:	JUNE 1996
S.S.	09-11			DWG. NO.	400-1
		SCALE: N.T.S.			

1 TYPE C INLET  
C5.0 NOT TO SCALE

**CURB INLET TOP TYPE 9**

LAST REVISION	DESCRIPTION	DATE	BY	INDEX	SHEET
11/01/20				425-024	1 of 3

**CURB INLET TOP TYPE 9**

LAST REVISION	DESCRIPTION	DATE	BY	INDEX	SHEET
11/01/20				425-024	2 of 3

**CURB INLET TOP TYPE 9**


LAST REVISION	DESCRIPTION	DATE	BY	INDEX	SHEET
11/01/20				425-024	3 of 3

2 CURB INLET TOP TYPE 9  
C5.0 NOT TO SCALE

**SIDEWALK CURB RAMPS CR-H, CR-K & CR-L**

LAST REVISION	DESCRIPTION	DATE	BY	INDEX	SHEET
11/01/20				522-002	5 of 7

3 SIWALK CURB RAMP  
C5.0 NOT TO SCALE



4 CONCRETE FLUME  
C5.0 NOT TO SCALE

**INTEGRATION POINT (SEE NOTE #11)**

**NOTES:**

1. BEDDING SHALL CONSIST OF IN-SITU GRANULAR MATERIAL OR WASHED AND GRADED LIMESTONE #88 - 3/4" SIZES WITH EQUAL OR GREATER PROPORTION ACCORDING TO EXISTING UNSUITABLE IN-SITU MATERIALS SUCH AS MUCK, DEBRIS AND LARGER ROCKS SHALL BE REMOVED.
2. THE PIPE SHALL BE FULLY SUPPORTED FOR ITS ENTIRE LENGTH WITH APPROPRIATE COMPACTION UNDER THE PIPE FRANCHISES.
3. THE PIPE SHALL BE PLACED IN A DRY TRENCH.
4. BACKFILL SHALL BE FREE OF UNSUITABLE MATERIAL SUCH AS LARGER ROCK, MUCK AND DEBRIS.
5. SLOPE TESTS SHALL BE TAKEN IN 10' SECTIONS ALONG THE PIPE AT INTERVALS OF 50' MINIMUM, (MINIMUM 1 SET) ON AS DIRECTED BY THE CONSTRUCTION COORDINATION PLAN. RESULTS SHALL BE SUBMITTED TO CONSTRUCTION COORDINATION AS PART OF TRENCH REVIEW.
6. THE PERMITTEE/DEVELOPER/CONTRACTOR SHALL BE RESPONSIBLE TO COMPLY WITH ALL TRENCH SAFETY LAWS AND REGULATIONS.
7. SEE SEPARATE DETAIL FOR FINISHED AREA (OPEN CUT FOR THROUGHFARE AND NON-THROUGHFARE ROADS).
8. THE AFFECTED AREA SHALL BE RESTORED TO EQUAL OR BETTER CONDITION OR AS SPECIFIED IN PERMIT/CONTRACT DOCUMENTS.
9. APPROVED MAGNETIC TAPES IS REQUIRED FOR ALL MAIN PRESSURE PIPES AND CONDUIT IN THE COUNTY'S RIGHT-OF-WAY. INSTALL TAPES 18" BELOW FINISHED GRADE.
10. ROOT BARBERS IS REQUIRED FOR APPROVED PIPE INSTALLATION CLOSER THAN 30' FEET FROM AN EXISTING TREE. SEE SEPARATE DETAIL FOR ROOT BARBER.
11. CONTINUOUS 4" WIDE PAINT STRIPING IS REQUIRED FOR 60"/PCD WATER MAINS (BLUE), 60" SANITARY FORCE MAINS (GREEN), 60" RICHMOND WATER MAINS (PURPLE), GAS MAINS (YELLOW), OR AS REQUIRED BY THE A.P.D.A.
12. PERMANENT ABOVE GROUND UTILITY MARKER SHALL BE INSTALLED IF REQUIRED.

5 EXFILTRATION TRENCH  
C5.0 NOT TO SCALE

**ACCESSIBLE PARKING SPACE SIGN**

**SIGN NOTE:**  
ACCESSIBLE PARKING SPACES SHALL BE POSTED WITH A FIXED PARKING SIGN NO LESS THAN 60" MIN. TO THE BOTTOM OF THE SIGN AND WHICH BEARS THE INTERNATIONAL SYMBOL OF ACCESSIBILITY MEETING THE REQUIREMENTS OF THE STANDARDS AND THE CAPTION "PARKING BY DISABLED PERMIT ONLY." AND MUST INDICATE THE PENALTY FOR ILLEGAL USE OF THE SPACE.

REVISIONS		ENGINEERING DIVISION		ACCESSIBLE SPACE SIGN	
BY	DATE	CITY OF POMPANO BEACH		DATE:	December 2014
		SCALE: N.T.S.		DWG. NO.	300-5

6 ACCESSIBLE SPACE SIGN  
C5.0 NOT TO SCALE



**Chick-fil-A**

5200 Buffington Rd.  
Atlanta Georgia,  
30349-2998

**Bowman**

Certificate of Authorization License No. 30482  
610 SE 7th St, Suite 500  
Fort Lauderdale, FL 33316  
Phone: (561) 534-6468  
www.bowman.com  
© 2021 Bowman Consulting Group Ltd

Seal



WILLIAM PFEFFER, P.E.  
LICENSE NO. 73058  
8/13/2021

**CHICK-FIL-A**  
**POMPANO BEACH**  
2250 NORTH FEDERAL HIGHWAY  
POMPANO BEACH, FL 33062

**FSU# 2483**

REVISION SCHEDULE	NO.	DATE	DESCRIPTION

CURRENT DESIGN	2021-005
PROJECT #	010014-01-138
PRINTED FOR	PERMIT
DATE	8/13/2021
DRAWN BY	ST

**P&Z**

PZ21-16500001  
10/27/21

**P&Z**

PZ21-16500001  
9/22/21