

GENERAL NOTES:

1. SCOPE OF WORK: The Contractor shall furnish all labor, machinery, tools, supplies, and equipment as necessary to construct and provide an operating system, as indicated in the Plans. The work shall include, but not be limited to, furnishing materials (pipe, valves, sprinkler heads, fittings, controllers, electrical, wire and fittings, primer, glue, etc.), layout, protection to the public, excavation, assembly, installation, backfilling, compaction, repair of road or pavement surfaces, controller and low voltage lead to the valves, clean-up, maintenance and guarantee, and as-built plans.

2. Contractor shall coordinate with General Contractor or other pertinent Contractors on the job to insure that sleeves are provided and installed under hard surfaces to allow access to all areas to be irrigated. All sleeves shall be constructed of Class 200 PVC. Bury all sleeves a minimum of 18" below the surface. Sleeve to be double the size if the pipe running through it. Sleeve shall extend 24" past the edge of pavement into the area to be irrigated.

3. GUARANTEE: The irrigation system shall be guaranteed for a minimum of one calendar year from the time of final acceptance.

4. REPAIR UTILITIES: The Contractor shall be responsible to verify the location of all utilities by hand excavation or other appropriate measures before performing any work that may result in damage to utilities structures, or property. The Contractor shall take immediate steps to repair, replace, or restore all services to any utilities which are disrupted due to his operations. All costs involved in disruption of service and repairs due to negligence on part of the Contractor shall be his responsibility.

5. AS-BUILT DRAWINGS: Prints of the plans will be supplied to the Contractor for recording "as-built" information. Immediately upon installation of any work which deviates from what is shown on the Plans, the Contractor shall clearly indicate such changes in red pencil on the prints. Such changes shall include, but not be limited to, changes in (1) materials; (2) sizes of material; (3) location; and (4) quantities.

6. The entire installation shall fully comply with all applicable local and state codes and ordinances. The Contractor shall take out all required plumbing and electrical applications and permits, arrange for all necessary inspections and shall pay all fees and expenses in connection with same as part of work under the contract.

7. UNIT PRICES: The successful bidder shall furnish, to the Owner, a unit price breakdown for all materials. The Owner may at his own discretion, add to or delete from the materials, using the unit price breakdown submitted to and accepted by the Owner.

8. MAINTENANCE PERIOD: The irrigation system shall be maintained for a period of 90 days after final acceptance of installation. Maintenance shall include checking of the system 2 times per week. Contractor shall be responsible to replace/repair any broken or malfunctioning parts of the system including those damaged by accidents or vandalism. Repairs shall be made immediately at the time of inspection or when notified by the Landscape Architect.

9. The irrigation system shall provide 100% coverage with a minimum of 90% overlap of water spray.

10. The system is designed to provide sprinkler precipitation rates that are nearly equal in each zone. Mixing of sprinklers with widely varying precipitation rates in a zone will not be accepted.

11. Irrigation mainline shall be made of Class 200 PVC and all laterals shall be Class 200 PVC, except flexible PVC (or Toro funny pipe) for flexible swing joint and Schedule 40 PVC risers for spray heads in shrub areas. Schedule 80 galvanized steel pipe is to be used for all above ground fittings. Pipe locations shall be adjusted in the field. When laying out mains and laterals, locate pipe near edges of pavement or against buildings wherever possible, to allow space for plant rootballs. Coordinate pipe locations with plantings. Bury all mains and laterals 18" min. below surface. Depth shall be measured to top of pipe.


12. Keep pop-up sprinkler heads a minimum of 8" from edges of pavement and curbing, and heads on risers a minimum of 18", or as indicated in the plans.

13. All heads located in shrub or groundcover beds shall be installed on a riser as per details in the plans. All other heads shall be installed on a swing joint as per details in the plans.

14. Place irrigation control wire in conduit in the same trench as mains and under the main. ASI wire shall be #14 or larger solid copper UL approved underground direct burial cable and shall be continuous with no splices from controller to solenoid valve.


15. Valve locations are schematic and shall be adjusted in the field. Each valve shall be in a separate valve box (10' x 16") min. When grouping valve boxes in grass or groundcover areas, set boxes a minimum of 12" apart to allow grass or groundcover to grow between them. When possible, hide valve boxes in shrub beds, a minimum of 12" from edge of beds. Set all valve boxes, concrete or plastic, in ground with cover flush with finish grade, and level, with a minimum of 6" of pea gravel at the bottom of the box, with at least 2" of clearance from the bottom of the valve to the top of the gravel.

16. TESTING: Notify the Landscape Architect in writing when testing will be conducted. Conduct test in the presence of the Landscape Architect. After all PVC assembly is completed the lines shall be flushed to insure that no rocks, sand, or other foreign debris remains in the lines. The mains shall be filled with water and all outlets shall be capped and plugged. The main shall be pressurized to 100 PSI for a minimum of one hour. No section of the main will be approved if the pressure drops more than 5 PSI at the end of the one hour period. Leaks shall be repaired immediately and the system shall be re-tested until found satisfactory by the Landscape Architect.




FLEXIBLE SWING JOINT DETAIL

N.T.S.




DETAIL OF STUB-OUT FOR FUTURE USE

N.T.S.




SPRINKLER ON RISER DETAIL FOR SHRUB AREAS

N.T.S.



CONNECTION TO METER DETAIL


N.T.S.



TYPICAL SOLENOID VALVE ASSEMBLY


N.T.S.

NOTE:  
ALL WIRE CONNECTIONS SHALL BE APPROVED WATERTIGHT CONNECTIONS.  
FINISH ENTIRE ASSEMBLY, EXCEPT FOR EQUIPMENT, WITH FLAT BLACK ACRYLIC ENAMEL PAINT.  
PRIME METALLIC SURFACES WITH ZINC CHROMATE PRIOR TO FINISHING.




RAIN SENSOR DETAIL

N.T.S.




XFS SUBSURFACE DRIPLINE BURIAL

N.T.S.



XFS SUBSURFACE DRIPLINE ADAPTER FOR PVC


N.T.S.



NOTE:  
1. ALLOW A MINIMUM OF 6-INCHES OF DRIPLINE TUBING IN VALVE BOX IN ORDER TO DIRECT FLUSHED WATER OUTSIDE VALVE BOX.


XFS DRIPLINE FLUSHPOINT WITH COMPRESSION FITTINGS

N.T.S.



XFS AIR/VACUUM RELIEF


N.T.S.



NOTES:  
1. DISTANCE BETWEEN LATERAL ROWS AND EMITTER SPACING TO BE BASED ON SOIL TYPE, PLANT MATERIALS AND CHANGES IN ELEVATION. SEE RAIN BIRD XF-SDI DRIPLINE INSTALLATION GUIDE FOR SUGGESTED SPACINGS.  
2. LENGTH OF LONGEST DRIPLINE LATERAL SHOULD NOT EXCEED THE MAXIMUM LENGTH SHOWN IN THE ACCOMPANYING TABLE.  
3. AIR RELIEF VALVE TO BE INSTALLED AT HIGH POINT OF AREA.  
4. WHEN USING 17MM INSERT FITTINGS WITH DESIGN PRESSURE OVER 50PSI, IT IS RECOMMENDED THAT STAINLESS STEEL CLAMPS BE INSTALLED ON EACH FITTING.

XFS SUBSURFACE DRIPLINE CENTERFEED LAYOUT


N.T.S.



NOTES:  
1. DISTANCE BETWEEN LATERAL ROWS AND EMITTER SPACING TO BE BASED ON SOIL TYPE, PLANT MATERIALS AND CHANGES IN ELEVATION. SEE INSTALLATION SPECIFICATIONS ON RAIN BIRD WEB SITE (WWW.RAINBIRD.COM) FOR SUGGESTED SPACING.  
2. LENGTH OF LONGEST DRIPLINE LATERAL SHOULD NOT EXCEED THE MAXIMUM SPACING SHOWN IN THE ACCOMPANYING TABLE.  
3. INSTALL AIR RELIEF VALVE AT HIGH POINTS IN DRIP LATERAL.  
4. WHEN USING 17MM INSERT FITTINGS WITH DESIGN PRESSURE OVER 50PSI, IT IS RECOMMENDED THAT STAINLESS STEEL CLAMPS BE INSTALLED ON EACH FITTING.

XFS SUBSURFACE DRIPLINE ODD CURVES LAYOUT

N.T.S.



NOTES:  
1. DISTANCE BETWEEN LATERAL ROWS AND EMITTER SPACING TO BE BASED ON SOIL TYPE, PLANT MATERIALS AND CHANGES IN ELEVATION. SEE RAIN BIRD XF DRIPLINE INSTALLATION GUIDE FOR SUGGESTED SPACINGS.  
2. LENGTH OF LONGEST DRIPLINE LATERAL SHOULD NOT EXCEED THE MAXIMUM LENGTH SHOWN IN THE ACCOMPANYING TABLE.  
3. AIR RELIEF VALVE TO BE INSTALLED AT HIGH POINT OF AREA.  
4. WHEN USING 17MM INSERT FITTINGS WITH DESIGN PRESSURE OVER 50PSI, IT IS RECOMMENDED THAT STAINLESS STEEL CLAMPS BE INSTALLED ON EACH FITTING.

XFS SUBSURFACE DRIPLINE END FEED LAYOUT


N.T.S.

XFS Dripline Maximum Lateral Lengths (Feet)						
Inlet Pressure psi	12" Spacing		18" Spacing		24" Spacing	
	Nominal Flow (gph)	Nominal Flow (gph)	Nominal Flow (gph)	Nominal Flow (gph)	Nominal Flow (gph)	Nominal Flow (gph)
15	273	155	314	250	424	322
20	318	169	353	294	508	368
30	360	230	413	350	586	414
40	395	255	465	402	652	474
50	417	285	528	420	720	488
60	460	290	596	455	780	514

1. PVC SUPPLY PIPE FROM RAIN BIRD CONTROL ZONE KIT (SIZED TO MEET LATERAL FLOW DEMAND)  
2. PERIMETER OF AREA  
3. PERIMETER DRIPLINE PIPE TO BE INSTALLED 2'-4" FROM PERIMETER OF AREA  
4. PVC SUPPLY MANIFOLD  
5. PVC SCH 40 TEE OR EL (TYPICAL)  
6. BARB X MALE FITTING: RAIN BIRD XFF-MA FITTING (TYPICAL)  
7. SUB-SURFACE DRIPLINE: RAIN BIRD XF SERIES DRIPLINE (TYPICAL) POTABLE: XFS DRIPLINE NON-POTABLE: XFSP DRIPLINE  
8. BARB X BARB INSERT TEE: RAIN BIRD XFF-TTE (TYPICAL)  
9. TOTAL LENGTH OF SELECTED DRIPLINE SHOULD NOT EXCEED LENGTH SHOWN IN TABLE  
10. PVC FLUSH HEADER  
11. PVC FLUSH POINT: SEE RAIN BIRD XF DETAILS FOR FLUSH POINT INSTALLATION  
12. PVC RISER PIPE  
13. TURF OR MULCH  
14. FINISH GRADE  
15. 1/2" AIR RELIEF VALVE: RAIN BIRD MODEL: ARVSDO SEE RAIN BIRD XF DETAILS FOR AIR RELIEF INSTALLATION


XFS Dripline Maximum Lateral Lengths (Feet)						
Inlet Pressure psi	12" Spacing		18" Spacing		24" Spacing	
	Nominal Flow (gph)	Nominal Flow (gph)	Nominal Flow (gph)	Nominal Flow (gph)	Nominal Flow (gph)	Nominal Flow (gph)
15	273	155	314	250	424	322
20	318	169	353	294	508	368
30	360	230	413	350	586	414
40	395	255	465	402	652	474
50	417	285	528	420	720	488
60	460	290	596	455	780	514

10. SUB-SURFACE DRIPLINE: RAIN BIRD XF SERIES DRIPLINE (TYPICAL) POTABLE: XFS DRIPLINE NON-POTABLE: XFSP DRIPLINE  
11. RAIN BIRD XF SERIES BLANK TUBING  
12. BARB X BARB INSERT TEE OR CROSS: RAIN BIRD XFF-TTE OR RAIN BIRD XFF-CROSS (TYPICAL)  
13. 1/2" AIR RELIEF VALVE: RAIN BIRD MODEL: ARVSDO SEE RAIN BIRD XF DETAILS FOR AIR RELIEF INSTALLATION  
14. BARB X FEMALE FITTING: RAIN BIRD XFF-TA-075 FITTING  
15. 3/4" PVC NIIPLE, LENGTH AS NECESSARY



XFS SUBSURFACE DRIPLINE OPERATION INDICATOR

N.T.S.



NOTES:  
1. PLACE TIE DOWN STAKES EVERY THREE FEET IN SAND, FOUR FEET IN LOAM, AND FIVE FEET IN CLAY.  
2. AT FITTINGS WHERE THERE IS A CHANGE OF DIRECTION SUCH AS TEES OR ELBOWS, USE TIE-DOWN STAKES ON EACH LEG OF THE CHANGE OF DIRECTION.  
3. SAVE YOUR HANDS. USE THE RAIN BIRD FITTING-TOOL/XF INSERTION TOOL FOR FITTING ASSEMBLY.

1. ON-SURFACE DRIPLINE: RAIN BIRD XF SERIES DRIPLINE POTABLE: XFS DRIPLINE NON-POTABLE: XFSP DRIPLINE  
2. FINISH GRADE  
3. ON-SURFACE DRIPLINE: RAIN BIRD XF SERIES DRIPLINE POTABLE: XFS DRIPLINE NON-POTABLE: XFSP DRIPLINE  
4. FINISH GRADE  
5. FINISH GRADE  
6. FINISH GRADE  
7. FINISH GRADE  
8. FINISH GRADE  
9. FINISH GRADE  
10. FINISH GRADE  
11. FINISH GRADE  
12. FINISH GRADE  
13. FINISH GRADE  
14. FINISH GRADE  
15. FINISH GRADE  
16. FINISH GRADE  
17. FINISH GRADE  
18. FINISH GRADE  
19. FINISH GRADE  
20. FINISH GRADE  
21. FINISH GRADE  
22. FINISH GRADE  
23. FINISH GRADE  
24. FINISH GRADE  
25. FINISH GRADE  
26. FINISH GRADE  
27. FINISH GRADE  
28. FINISH GRADE  
29. FINISH GRADE  
30. FINISH GRADE  
31. FINISH GRADE  
32. FINISH GRADE  
33. FINISH GRADE  
34. FINISH GRADE  
35. FINISH GRADE  
36. FINISH GRADE  
37. FINISH GRADE  
38. FINISH GRADE  
39. FINISH GRADE  
40. FINISH GRADE  
41. FINISH GRADE  
42. FINISH GRADE  
43. FINISH GRADE  
44. FINISH GRADE  
45. FINISH GRADE  
46. FINISH GRADE  
47. FINISH GRADE  
48. FINISH GRADE  
49. FINISH GRADE  
50. FINISH GRADE  
51. FINISH GRADE  
52. FINISH GRADE  
53. FINISH GRADE  
54. FINISH GRADE  
55. FINISH GRADE  
56. FINISH GRADE  
57. FINISH GRADE  
58. FINISH GRADE  
59. FINISH GRADE  
60. FINISH GRADE  
61. FINISH GRADE  
62. FINISH GRADE  
63. FINISH GRADE  
64. FINISH GRADE  
65. FINISH GRADE  
66. FINISH GRADE  
67. FINISH GRADE  
68. FINISH GRADE  
69. FINISH GRADE  
70. FINISH GRADE  
71. FINISH GRADE  
72. FINISH GRADE  
73. FINISH GRADE  
74. FINISH GRADE  
75. FINISH GRADE  
76. FINISH GRADE  
77. FINISH GRADE  
78. FINISH GRADE  
79. FINISH GRADE  
80. FINISH GRADE  
81. FINISH GRADE  
82. FINISH GRADE  
83. FINISH GRADE  
84. FINISH GRADE  
85. FINISH GRADE  
86. FINISH GRADE  
87. FINISH GRADE  
88. FINISH GRADE  
89. FINISH GRADE  
90. FINISH GRADE  
91. FINISH GRADE  
92. FINISH GRADE  
93. FINISH GRADE  
94. FINISH GRADE  
95. FINISH GRADE  
96. FINISH GRADE  
97. FINISH GRADE  
98. FINISH GRADE  
99. FINISH GRADE  
100. FINISH GRADE  
101. FINISH GRADE  
102. FINISH GRADE  
103. FINISH GRADE  
104. FINISH GRADE  
105. FINISH GRADE  
106. FINISH GRADE  
107. FINISH GRADE  
108. FINISH GRADE  
109. FINISH GRADE  
110. FINISH GRADE  
111. FINISH GRADE  
112. FINISH GRADE  
113. FINISH GRADE  
114. FINISH GRADE  
115. FINISH GRADE  
116. FINISH GRADE  
117. FINISH GRADE  
118. FINISH GRADE  
119. FINISH GRADE  
120. FINISH GRADE  
121. FINISH GRADE  
122. FINISH GRADE  
123. FINISH GRADE  
124. FINISH GRADE  
125. FINISH GRADE  
126. FINISH GRADE  
127. FINISH GRADE  
128. FINISH GRADE  
129. FINISH GRADE  
130. FINISH GRADE  
131. FINISH GRADE  
132. FINISH GRADE  
133. FINISH GRADE  
134. FINISH GRADE  
135. FINISH GRADE  
136. FINISH GRADE  
137. FINISH GRADE  
138. FINISH GRADE  
139. FINISH GRADE  
140. FINISH GRADE  
141. FINISH GRADE  
142. FINISH GRADE  
143. FINISH GRADE  
144. FINISH GRADE  
145. FINISH GRADE  
146. FINISH GRADE  
147. FINISH GRADE  
148. FINISH GRADE  
149. FINISH GRADE  
150. FINISH GRADE  
151. FINISH GRADE  
152. FINISH GRADE  
153. FINISH GRADE  
154. FINISH GRADE  
155. FINISH GRADE  
156. FINISH GRADE  
157. FINISH GRADE  
158. FINISH GRADE  
159. FINISH GRADE  
160. FINISH GRADE  
161. FINISH GRADE  
162. FINISH GRADE  
163. FINISH GRADE  
164. FINISH GRADE  
165. FINISH GRADE  
166. FINISH GRADE  
167. FINISH GRADE  
168. FINISH GRADE  
169. FINISH GRADE  
170. FINISH GRADE  
171. FINISH GRADE  
172. FINISH GRADE  
173. FINISH GRADE  
174. FINISH GRADE  
175. FINISH GRADE  
176. FINISH GRADE  
177. FINISH GRADE  
178. FINISH GRADE  
179. FINISH GRADE  
180. FINISH GRADE  
181. FINISH GRADE  
182. FINISH GRADE  
183. FINISH GRADE  
184. FINISH GRADE  
185. FINISH GRADE  
186. FINISH GRADE  
187. FINISH GRADE  
188. FINISH GRADE  
189. FINISH GRADE  
190. FINISH GRADE  
191. FINISH GRADE  
192. FINISH GRADE  
193. FINISH GRADE  
194. FINISH GRADE  
195. FINISH GRADE  
196. FINISH GRADE  
197. FINISH GRADE  
198. FINISH GRADE  
199. FINISH GRADE  
200. FINISH GRADE  
201. FINISH GRADE  
202. FINISH GRADE  
203. FINISH GRADE  
204. FINISH GRADE  
205. FINISH GRADE  
206. FINISH GRADE  
207. FINISH GRADE  
208. FINISH GRADE  
209. FINISH GRADE  
210. FINISH GRADE  
211. FINISH GRADE  
212. FINISH GRADE  
213. FINISH GRADE  
214. FINISH GRADE  
215. FINISH GRADE  
216. FINISH GRADE  
217. FINISH GRADE  
218. FINISH GRADE  
219. FINISH GRADE  
220. FINISH GRADE  
221. FINISH GRADE  
222. FINISH GRADE  
223. FINISH GRADE  
224. FINISH GRADE  
225. FINISH GRADE  
226. FINISH GRADE  
227. FINISH GRADE  
228. FINISH GRADE  
229. FINISH GRADE  
230. FINISH GRADE  
231. FINISH GRADE  
232. FINISH GRADE  
233. FINISH GRADE  
234. FINISH GRADE  
235. FINISH GRADE  
236. FINISH GRADE  
237. FINISH GRADE  
238. FINISH GRADE  
239. FINISH GRADE  
240. FINISH GRADE  
241. FINISH GRADE  
242. FINISH GRADE  
243. FINISH GRADE  
244. FINISH GRADE  
245. FINISH GRADE  
246. FINISH GRADE  
247. FINISH GRADE  
248. FINISH GRADE  
249. FINISH GRADE  
250. FINISH GRADE  
251. FINISH GRADE  
252. FINISH GRADE  
253. FINISH GRADE  
254. FINISH GRADE  
255. FINISH GRADE  
256. FINISH GRADE  
257. FINISH GRADE  
258. FINISH GRADE  
259. FINISH GRADE  
260. FINISH GRADE  
261. FINISH GRADE  
262. FINISH GRADE  
263. FINISH GRADE  
264. FINISH GRADE  
265. FINISH GRADE  
266. FINISH GRADE  
267. FINISH GRADE  
268. FINISH GRADE  
269. FINISH GRADE  
270. FINISH GRADE  
271. FINISH GRADE  
272. FINISH GRADE  
273. FINISH GRADE  
274. FINISH GRADE  
275. FINISH GRADE  
276. FINISH GRADE  
277. FINISH GRADE  
278. FINISH GRADE  
279. FINISH GRADE  
280. FINISH GRADE  
281. FINISH GRADE  
282. FINISH GRADE  
283. FINISH GRADE  
284. FINISH GRADE  
285. FINISH GRADE  
286. FINISH GRADE  
287. FINISH GRADE  
288. FINISH GRADE  
289. FINISH GRADE  
290. FINISH GRADE  
291. FINISH GRADE  
292. FINISH GRADE  
293. FINISH GRADE  
294. FINISH GRADE  
295. FINISH GRADE  
296. FINISH GRADE  
297. FINISH GRADE  
298. FINISH GRADE  
299. FINISH GRADE  
300. FINISH GRADE  
301. FINISH GRADE  
302. FINISH GRADE  
303. FINISH GRADE  
304. FINISH GRADE  
305. FINISH GRADE  
306. FINISH GRADE  
307. FINISH GRADE  
308. FINISH GRADE  
309. FINISH GRADE  
310. FINISH GRADE  
311. FINISH GRADE  
312. FINISH GRADE  
313. FINISH GRADE  
314. FINISH GRADE  
315. FINISH GRADE  
316. FINISH GRADE  
317. FINISH GRADE  
318. FINISH GRADE  
319. FINISH GRADE  
320. FINISH GRADE  
321. FINISH GRADE  
322. FINISH GRADE  
323. FINISH GRADE  
324. FINISH GRADE  
325. FINISH GRADE  
326. FINISH GRADE  
327. FINISH GRADE  
328. FINISH GRADE  
329. FINISH GRADE  
330. FINISH GRADE  
331. FINISH GRADE  
332. FINISH GRADE  
333. FINISH GRADE  
334. FINISH GRADE  
335. FINISH GRADE  
336. FINISH GRADE  
337. FINISH GRADE  
338. FINISH GRADE  
339. FINISH GRADE  
340. FINISH GRADE  
341. FINISH GRADE  
342. FINISH GRADE  
343. FINISH GRADE  
344. FINISH GRADE  
345. FINISH GRADE  
346. FINISH GRADE  
347. FINISH GRADE  
348. FINISH GRADE  
349. FINISH GRADE  
350. FINISH GRADE  
351. FINISH GRADE  
352. FINISH GRADE  
353. FINISH GRADE  
354. FINISH GRADE  
355. FINISH GRADE  
356. FINISH GRADE  
357. FINISH GRADE  
358. FINISH GRADE  
359. FINISH GRADE  
360. FINISH GRADE  
361. FINISH GRADE  
362. FINISH GRADE  
363. FINISH GRADE  
364. FINISH GRADE  
365. FINISH GRADE  
366. FINISH GRADE  
367. FINISH GRADE  
368. FINISH GRADE  
369. FINISH GRADE  
370. FINISH GRADE  
371. FINISH GRADE  
372. FINISH GRADE  
373. FINISH GRADE  
374. FINISH GRADE  
375. FINISH GRADE  
376. FINISH GRADE  
377. FINISH GRADE  
378. FINISH GRADE  
379. FINISH GRADE  
380. FINISH GRADE  
381. FINISH GRADE  
382. FINISH GRADE  
383. FINISH GRADE  
384. FINISH GRADE  
385. FINISH GRADE  
386. FINISH GRADE  
387. FINISH GRADE  
388. FINISH GRADE  
389. FINISH GRADE  
390. FINISH GRADE  
391. FINISH GRADE  
392. FINISH GRADE  
393. FINISH GRADE  
394. FINISH GRADE  
395. FINISH GRADE  
396. FINISH GRADE  
397. FINISH GRADE  
398. FINISH GRADE  
399. FINISH GRADE  
400. FINISH GRADE  
401. FINISH GRADE  
402. FINISH GRADE  
403. FINISH GRADE  
404. FINISH GRADE  
405. FINISH GRADE  
406. FINISH GRADE  
407. FINISH GRADE  
408. FINISH GRADE  
409. FINISH GRADE  
410. FINISH GRADE  
411. FINISH GRADE  
412. FINISH GRADE  
413. FINISH GRADE  
414. FINISH GRADE  
415. FINISH GRADE  
416. FINISH GRADE  
417. FINISH GRADE  
418. FINISH GRADE  
419. FINISH GRADE  
420. FINISH GRADE  
421. FINISH GRADE  
422. FINISH GRADE  
423. FINISH GRADE  
424. FINISH GRADE  
425. FINISH GRADE  
426. FINISH GRADE  
427. FINISH GRADE  
428. FINISH GRADE  
429. FINISH GRADE  
430. FINISH GRADE  
431. FINISH GRADE  
432. FINISH GRADE  
433. FINISH GRADE  
434. FINISH GRADE  
435. FINISH GRADE  
436. FINISH GRADE  
437. FINISH GRADE  
438. FINISH GRADE  
439. FINISH GRADE  
440. FINISH GRADE  
441. FINISH GRADE  
442. FINISH GRADE  
443. FINISH GRADE  
444