




NORTH



<p><b>Note:</b> All trees designated as single trunk shall have a single, relatively straight, dominant leader, proper structural branching and even branch distribution. Trees with bark inclusion, tipped branches, and co-dominant trunks will not be accepted. Trees with girdling, intact leader circling and/or plunging roots will be rejected.</p>
<p><b>Note:</b> No development, work, or demo activity shall be allowed within the dripline of a tree or tree protection area.</p>
<p><b>Note:</b> All road rock, concrete, asphalt and other non-natural material be removed from all planting areas prior to landscape installation and be replaced with planting soil prior to landscape installation and be replaced with planting soil prior to landscape installation</p>
<p><b>Note:</b> The irrigation system will be providing 100% coverage with 50% overlap. Including the ROW. Bubblers will be provided for all new and relocated trees and palms.</p>
<p><b>Note:</b> Drought resistant sod or drought-resistant ground cover shall be installed on the entire disturbed areas before close-out of the permit and thereafter maintained. All asphalt, rock, and other non-natural materials shall be removed and refilled to the undisturbed lot level with clean soil before any planting or installation of the required drought-resistant sod or ground cover.</p>
<p><b>Note:</b> All shrubs abutting City Rights of way are maintained at a height no greater than 24". It is staffs recommendation that all VUA perimeter trees be 14' OA to create a CPTED clear line of sight from the roadway.</p>

<p><b>Note:</b> A Pre Construction meeting with Urban Forestry is required before any work is performed onsite, especially where there is tree protection and/or plant material is installed on site.</p>
<p><b>Note:</b> Fines and penalties for encroachment into the critical root zones and within the tree protection zone for existing trees to be protected and preserved.</p>
<p><b>Note:</b> Underground utility lines shall be routed around the tree protection area where possible. If this is not possible, a tunnel made by a power-driven soil auger may be used under the tree.</p>
<p><b>Note:</b> All existing trees will be pruned by an ISA Certified Arborist under the direction of a BCMA or ASCA Registered Consulting Arborist with a Florida Chapter ISA Prescription Pruning Qualification (PPQ).</p>
<p><b>Note:</b> Penalties would be incurred by the contractor for damages to the existing trees on site from the contractor, the subcontractors, or employees. Any encroachment within the tree protection zone, failure to maintain the tree protection zone, or any damage to the tree(s) or critical root zones will result in mitigation. The cause of damages would include, but not be limited to, storage of materials, placing fill or debris, disposal of paint or solvents, parking of machines under trees or tree protection zone encroachment. An example of this would be; Violations of this will result in a fine of \$1000.00 for the first offense, \$1500.00 for the second, and \$2000.00 for the third, etc. If physical damage is done to the tree, an appraisal of the damages and related fees will be determined by an ASCA Registered Consulting Arborist, and be based on all, or a percentage of, the established value assigned to the tree.</p>
<p><b>Note:</b> If trees are to be cantenized, the root ball will be shaved at the periphery to remove all circling roots.</p>

PLANT SCHEDULE								UNIT PRICE	TOTAL		
SYMBOL	CODE	QTY	BOTANICAL / COMMON NAME	SIZE	CONTAINER	NATIVE	NOTES				
TREES											
	BA	19	Bulnesia arborea Verawood	12' HT. X 4" SPR. 2" CAL.	F.G.	N	-	\$800	\$15,200		
	BS	5	Bursera simaruba Gumbo Limbo	18' HT. X 9' SPR. 4" CAL.	F.G.	Y	-	\$3,000	\$15,000		
	CR	1	Clusia rosea Pitch Apple	18' HT. X 9' SPR. 4" CAL.	F.G.	Y	CHARACTER SPECIMEN	\$3,000	\$3,000		
	CD	7	Cocoloba diversifolia Pigeon Plum	12' HT. X 4" SPR. 2" CAL.	F.G.	Y	-	\$1,000	\$7,000		
	CE	10	Conocarpus erectus Green Buttonwood	18' HT. X 9' SPR. 4" CAL.	F.G.	Y	-	\$1,800	\$18,000		
	CS	11	Conocarpus erectus sericeus Silver Buttonwood	12' HT. X 6' SPR. 2" CAL.	F.G.	Y	STANDARD	\$1,800	\$19,800		
	LJ	4	Ligustrum japonicum Japanese Privet	8' HT. X 8" SPR.	F.G.	N	MULTI TRUNK	\$800	\$3,200		
	MF	10	Myrcianthes fragrans Simpson's Stopper	12' HT. X 4" SPR. 2" CAL.	F.G.	Y	-	\$1,000	\$10,000		
	PP	23	Polyalthia longifolia pendula Indian Mast Tree	18' HT. X 4' SPR. 4" CAL.	F.G.	N	-	\$3,000	\$69,000		
	QV	10	Quercus virginiana Live Oak	18' HT. X 9' SPR. 4" CAL.	F.G.	Y	-	\$1,800	\$18,000		
								TREES TOTAL: \$178,200			
PALM TREES											
	RE	25	Roystonea elata Florida Royal Palm	12' G.W.	F.G.	Y	MATCHED HEIGHTS	\$3,300	\$82,500		
	TR	34	Thrinax radiata Florida Thatch Palm	6'-12' O.A. HT.	F.G.	Y	STAGGERED HTS.	\$800	\$32,800		
	VM	33	Veitchia montgomeryana 'Single' Montgomery Palm	18'-26' O.A. HT.	F.G.	N	STAGGERED HTS.	\$660	\$21,780		
								PALMS TOTAL: \$137,080			
SHRUBS											
	AI	13	Alcantarea imperialis Imperial Bromeliad	2'-6" O.A. SPR.	-	N	-				
	CG	148	Clusia guttifera Small Leaf Clusia	24" HT. X 24" SPR. / 24" O.C.	-	Y	-				
	CE1	529	Conocarpus erectus Green Buttonwood	36" HT. X 24" SPR. / 24" O.C.	-	Y	-				
	CQ	31	Crinum augustum 'Queen Emma' Purple Crinum Lily	3' O.A. HT.	-	N	-				
	DS	15	Dioon spinulosum Giant Dioon	36" HT. X 36" SPR.	-	N	-				
	MD1	40	Monstera deliciosa Swiss Cheese Plant	24" HT. X 24" SPR. / 24" O.C.	-	N	-				
	PG	16	Philodendron giganteum Giant Philodendron	36" HT. X 24" SPR.	-	N	-				
	RE2	28	Rhaps excelsa Lady Palm	4' O.A. HT.	-	N	-				
SHRUB AREAS											
	AW	597	Acalypha wilkesiana Louisiana Red Copperleaf	36" HT. X 24" SPR. /24" O.C.	-	N	-				
	CH1	382	Chrysobalanus icaco 'Horizontalis' Horizontal Cocoplum	18" HT. X 18" SPR. / 18" O.C.	-	Y	-				
	CI	468	Chrysobalanus icaco 'Red Tip' Red Tip Cocoplum	24" HT. X 24" SPR. / 24" O.C.	-	Y	-				
	HP	133	Hamelia patens Dwarf Firebush	24" HT. X 24" SPR. / 24" O.C.	-	Y	-				
	MD	26	Monstera deliciosa Swiss Cheese Plant	24" HT. X 24" SPR. / 24" O.C.	-	N	-				
	NB	138	Nephrolepis biserrata Macho Fern	24" HT. X 24" SPR. / 24" O.C.	-	Y	-				
	PB	1,105	Philodendron Burle Marx Burle Marx	24" HT. X 24" SPR. / 24" O.C.	-	N	-				
	SA	294	Schefflera arboricola Green Schefflera	24" HT. X 24" SPR. / 24" O.C.	-	N	-				
	TD	327	Tripsacum dactyloides Fakahatchee Grass	36" HT. X 36" SPR. / 24" O.C.	-	Y	-				
	TF	56	Tripsacum floridana Dwarf Fakahatchee Grass	24" HT. X 24" SPR. / 24" O.C.	-	Y	-				
GROUND COVERS											
	FM	2,533	Ficus microcarpa Green Island ficus	15" HT. X 15" SPR. / 15" O.C.	-	N	-				
	MS	356	Microsorium scolopendria Wart Fern	15" HT. X 15" SPR. / 15" O.C.	-	N	-				
LAWN		As Required	Stenotaphrum secundatum 'Floratam' St. Augustine Grass	SOLID EVEN SOD							

DRO

PZ25-12000

[illegible]