


PLAN NOTES:

- HEIGHT OF OUTDOOR STORAGE NOT TO EXCEED 8-FOOT HEIGHT OF PERIMETER SCREENING
- OUTDOOR STORAGE AS A PRINCIPAL USE IS THE KEEPING, IN AN AREA THAT IS NOT TOTALLY AND PERMANENTLY ENCLOSED, OF ANY FINISHED GOODS, MATERIAL, MERCHANDISE, BOATS, OR VEHICLES IN THE SAME PLACE FOR MORE THAN 24 HOURS, WHERE SUCH STORAGE IS THE PRINCIPAL USE OF A LOT. THIS USE DOES NOT INCLUDE A JUNKYARD OR SALVAGE FACILITY OR THE DISPLAY AND STORAGE OF VEHICLES AS PART OF AN AUTOMOBILE, RECREATIONAL VEHICLE, TRAILER, OR TRUCK SALES OR RENTAL USE.
- ALL OUTDOOR STORAGE AREAS TO BE PAVED, INCLUDING 10' FIRE BREAKS
- ALL ACCESS GATES SHALL FEATURE A KNOX LOCK FOR MANUAL GATES OR KNOX SWITCH FOR ELECTRIC GATES. AUTOMATIC GATES MUST FAIL IN THE OPEN POSITION DURING LOSS OF POWER. GATES MUST BE DESIGNED TO UNLOCK WITH A READILY ACCESSIBLE MANUAL RELEASING DEVICE.
- VISIBILITY AND UNOBSTRUCTED WORKING SPACE MUST BE MAINTAINED FROM FIRE APPARATUS ACCESS ROUTES TO FIRE PROTECTION AND LIFE SAFETY APPLIANCES/EQUIPMENT. THESE INCLUDE BUT NOT LIMITED TO: FIRE HYDRANTS, FIRE DEPARTMENT CONNECTIONS (FDC), POST INDICATING VALVES (PIV), FIRE SPRINKLER RISERS, FIRE ALARM CONTROL PANELS, AND ELECTRICAL ROOM LOCATIONS.
- CLEAR SPACE AROUND FIRE HYDRANTS, FIRE DEPARTMENT CONNECTIONS (FDC), AND ANY OTHER FIRE APPLIANCE REQUIRING CLEARANCE FOR ACCESS. A 36-INCH CLEAR SPACE SHALL BE MAINTAINED AROUND THE CIRCUMFERENCE OF THE FIRE HYDRANT / APPLIANCE.
- REFER TO CIVIL DETAILS FOR FIRE HYDRANT CLEAR ZONE DETAIL.
- FIRE DEPARTMENT ACCESS ROADS SHALL BE DESIGNED AND MAINTAINED TO SUPPORT A MINIMUM OF 32 TONS AND SHALL BE PROVIDED WITH A SURFACE SUITABLE FOR ALL-WEATHER DRIVING CAPABILITIES.
- FIRE APPARATUS CIRCULATION PATHS SHALL MAINTAIN A 30' INSIDE RADIUS AND 50' OUTSIDE RADIUS WITH 20' OVERALL CLEARANCE WIDTH (MINIMUM 24' ASPHALT WIDTH) AS SHOWN ON PLAN



301 East Atlantic Blvd. Pompano Beach, FL 33060
PH: (954) 788-3400

Florida Certificate of Authorization: 7928
Licensed Business Number: 6860

REVISIONS		
NO.	DESCRIPTION	DATE

**PRELIMINARY PLAN
NOT FOR CONSTRUCTION**
THESE PLANS ARE NOT FULLY PERMITTED AND ARE SUBJECT TO REVISIONS MADE DURING THE PERMITTING PROCESS.
RESPONSIBILITY FOR THE USE OF THESE PLANS PRIOR TO OBTAINING PERMITS FROM ALL AGENCIES HAVING JURISDICTION OVER THE PROJECT WILL FALL SOLELY UPON THE USER.

ISSUE DATE: 03/25/2021

DESIGNED BY: JW

DRAWN BY: FA

CHECKED BY: TD

BID-CONTRACT:

This item has been digitally signed and sealed by Thomas F. Donahue, P.E. on the date below using a Digital Signature.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

THOMAS F. DONAHUE, P.E.
FLORIDA REG. NO. 60529
(FOR THE FIRM)

CLIENT

BARRY S. MITTELBERG, ESQ.

PROJECT

NORTH ATLANTIC
951 S.W. 12th AVENUE
POMPAÑO BEACH FL

SHEET TITLE

FIRE ACCESS PLAN

SHEET NUMBER: 101

PROJECT NUMBER: 09250001

PROJECT NUMBER: 09250001

PROJECT NUMBER: 09250001

PROJECT NUMBER: 09250001

PROJECT NUMBER: 09250001

PROJECT NUMBER: 09250001

DRC
PZ21-12000021
5/19/21

STATUS: PRELIMINARY
Plotted by: mamodio On Tuesday, April 13, 2021 2:01:39 PM
Drawing name: K:\09\092501 - North Atlantic 951 S. Andrews Avenue - Barry S. Mittelberg P.E. Engineering\Cadd\092501-FA-101-Fire Access Plan.dwg