



NOTES:

PROPOSED SECURITY CAMERA LOCATION - TYP.

SEE SHEET A-141 FOR PROMENADE DECK AND ADDITIONAL LIFE SAFETY INFORMATION.

All backflow flow control valves dedicated to fire protection systems must be monitored/supervised by the buildings fire alarm system. (NFPA 13 and NFPA 12)

AS INSTRUMENTS OF SERVICE, ALL DRAWINGS, SPECIFICATIONS, AND COPIES THEREOF FURNISHED BY THE ARCHITECT ARE TO BE USED ONLY FOR THIS PROJECT AND NOT TO BE USED ON ANY OTHER PROJECTS. THESE DOCUMENTS ARE NOT VALID UNLESS SIGNED AND SEALED BY THE ARCHITECT OR ENGINEER. CHANGES TO THE DRAWINGS MAY ONLY BE MADE BY THE ARCHITECT OR ENGINEER. BY USE OF THE DRAWING FOR CONSTRUCTION OF THE PROJECT, THE OWNER REPRESENTS THAT THEY HAVE REVIEWED AND APPROVED THE DRAWINGS, AND THAT THE CONSTRUCTION DOCUMENT PHASE OF THE PROJECT IS COMPLETE. THE CONTRACTOR REPRESENTS THAT HE HAS VISITED THE SITE, FAMILIARIZED HIMSELF WITH THE LOCAL CONDITIONS, VERIFIED FIELD DIMENSIONS, AND CORRELATED HIS OBSERVATIONS WITH THE REQUIREMENTS OF THE CONTRACT DOCUMENTS. NOTIFY ARCHITECT PRIOR TO START OF THE WORK OF DISCREPANCIES FOUND, AND REQUEST CLARIFICATION. NOT TO SCALE. THE DRAWING: MINIMUM FEE OF \$100 FOR UNAUTHORIZED AS-BUILT FIELD CHANGES.

2301 W. SAMPLE RD., STE. 5-7C  
POMPANO BEACH, FL 33073  
Phone (954) 928-0635  
E-MAIL: [berrie@berriedesign.com](mailto:berrie@berriedesign.com)  
FL LIC. #A0002741

**BERRIE**  
Architecture  
& Design, Inc.

Project Name  
ATLANTIC 3350  
3350 E. ATLANTIC BLVD  
POMPANO BEACH, FLORIDA, 33062  
Sheet Title  
GRADE LEVEL LIFE SAFETY PLAN

Prog./Rev.  
NEW SHEET  
03/09/20  
TREC-APP  
COMMENTS  
10/08/20  
SOLID WASTE

Digitally signed by  
Richard Berrie  
VP  
Date:  
2020.10.13  
08:48:21  
Richard Berrie

Scale  
1"=20'-0"

No.  
By RB  
Date  
XX/XX/XX  
14

PZ20-12000005  
2/24/2021