



GREENPEACE CONSULTING Arborist, LLC

Arboriculture Tree Report **20 N Pompano Beach Blvd, Pompano Beach**

To: LM Restaurant Group
Attn: Lou Moshakos & Chris Moshakos

Date: February 20, 2024
Email: lou@lmrest.com
cmoutos@lmrest.com

Prepared by: Trea Jones
International Society of Arboriculture Certified Arborist

Certification of Performance

I, Trea Jones doing business under Sutton Consulting Arborist, INC certify to the best of my knowledge, and abilities:

That I have personally inspected the tree(s) and or the property referred to in this report.

That it is my professional opinion, that the following report is true, and the conclusions and results stated are correct based on the information received about the property evaluated and the evaluation methods followed.

That the reported analyses, opinions, and conclusions are only limited by the reported assumptions, methods and limiting conditions and my personal, unbiased professional analyses, opinions and conclusions.

That Greenpeace Consulting Arborist, LLC. acts as an independent tree, and landscape consultant. This firm has no prospective or current interest in the property evaluated or interest/bias with respect to the parties involved.

That this Report, or parts of this Report, have not been revealed to any party other than the Client named and will not be revealed to any other party unless authorized to do so by Client named or by due process of law or by legally required public testimony by this firm of these results.

This report is written in good faith and all rights are reserved by Greenpeace Consulting Arborist, LLC. It is for use by the client named only.

Trea Jones

Trea Jones/Greenpeace Consulting Arborist
ISA Certified Arborist #FL-9929A

PZ24-12000002

06/05/2024

Report

I. Introduction

This is non-residential property. My assignment is to evaluate all palms on site for health, appraisal, and condition.

II. Property Involved

The property involved is known as 20 N Pompano Beach Blvd, Pompano Beach Blvd, Pompano Beach, FL 33062. I arrived on site 02-13-2024. The trees/palms are located throughout the property.

III. Data Collection

The property/trees were evaluated by site visit to determine environmental conditions, species, size (DBH and height) value of subject as per city of Pompano Beach, FL method of mitigation, "Rule 14-40.030", condition as a percentage and pictures.

IV. Limiting Conditions

This "Arboriculture Report" includes only the listed trees, landscape conditions in the immediate area where the tree is located, and conditions caused by or attributable to the trees on this property. We did not evaluate and make no evaluation or conclusions regarding any other part of the landscape or other items of this property.

Limits of the Assignment

1. This report is not intended as and does not represent legal advice and should not be relied upon to take the place of such advice.
2. This report is limited to documenting the condition of the tree on the dates given. Care has been taken to obtain all information from reliable sources. All data has been verified insofar as possible; however, the consultant can neither guarantee nor be responsible for the accuracy of information provided by others.
3. Loss or alteration of any part of this report invalidates the entire report.
4. Sketches and photographs used in this report are intended as visual aids only and are not necessarily to scale.

V. Discussion

A landscape is not a forest, woods, or other wild habitat. It is intended to be a planned and controlled environment. Trees can cause considerable damage to structures when not planted in the right locations based on species and mature size. Trees should be planted with adequate green space for mature tree size both above and below ground in-order to prevent conflicts with

PZ24-12060002
06/05/2024

structures above and below ground. The appearance and value of a landscapes suffer, and the property devaluates due to poor tree selection and placement.

Poorly planned landscapes also give rise to possible property damage, bodily injury and other negative circumstances and unnecessary expenses

Professionally designed and professionally maintained landscape, plants, shrubs, and trees traditionally stabilize and/or increase property values.

Trees growing in groups depend on each member of the group for stability of their root systems, wind breaks and shade. They work as one unit and appear as one from an aerial view. The loss of one or more from the group can and does have a detrimental effect on health, stability as well as aesthetics.

Most tree roots grow out horizontally from the tree in the top 6-12 inches of soil. A mature tree's roots can spread 2-3 times the diameter of the tree's crown or canopy.

Critical Root Zone (CRZ)

For existing trees, there is a minimum amount of area, above (for the trunk and crown) and below ground (for soil health and the root system vitality) that is required to protect trees and preserve tree health. This area is identified as the Critical Root Zone (CRZ) and is generally agreed to be equivalent to the soil area below ground and the space above ground defined by the tree's dripline, or the greatest extent of the branches. Significant risk of catastrophic failure exists if structural roots within this given radius are destroyed or severely damaged. Limits of disruption are based upon tree diameter (DBH) at 4.5 feet above the ground. We define the Critical Root Zone for all trees as the circular area above and below ground with a radius equivalent to the greater of 6 feet or 1.0 feet for every inch in trunk diameter at 4.5 feet above the ground. For example, a tree with a trunk diameter (DBH) of 10 inches has a CRZ of 10 feet (10 inches x 1.0) around the tree. While the radius of the CRZ is 10 feet, the diameter of the entire CRZ is 20 feet.

Generally, the full Perimeter (PCRZ) is considered the optimum amount of root protection for a tree. (The ICRZ is identified as the inner half of the CRZ radius). As root impact occurs within the PCRZ, greater post care will be required for the tree to remain alive and stable. The absolute maximum disturbance allowed must still leave the ICRZ undisturbed if the tree is to have any chance of survival.

The CRZ (Critical Root Zone) is calculated at 1" of root for each inch of trunk diameter at or near breast height (dbh). This gives the radius of the CRZ.

Example:

Tree Diameter		CRZ		Tree Diameter		CRZ	
2" diameter	2' radius			16" diameter	16' radius		
4" diameter	4' radius			20" diameter	20' radius		
6" diameter	6' radius			24" diameter	24' radius		
10" diameter	10' radius			30" diameter	30' radius		
12" diameter	12' radius			40" diameter	40' radius		

The CRZ of a tree, also called the "tree protection zone", is often defined as an imaginary

PZ24-12000002
06/05/2024

circle on the ground that corresponds with the “dripline” of the tree. However, the dripline is very irregular and misleading, so the trunk diameter is referred to.

This is a generally accepted method for measuring CRZ, root systems do vary in depth and spread based on size of tree, soil quality, water table, species, and other related factors such as root obstructions. If the rooting area is restricted by structures, soil compaction, impermeable soil layers, excessive soil water, or a high-water table, the root system may not develop well enough to adequately anchor the tree.

Relocating Palm Trees


Palm trees belong to a group called monocots. Like grasses, it can be characterized by having a single cotyledon (seed leaf) in the embryo. This shared characteristic means that palms have a fibrous root system rather than a central taproot. These fibrous roots spread out horizontally creating what we call the root ball. Allowing the palms to anchor themselves firmly in the soil and absorb water efficiently. This root structure also makes transplanting and relocating palms easier compared to large hardwood (dicot) trees, which typically have deep and extensive taproots that can be damaged during transplanting. The fibrous root system of palms facilitates their adaptability to new environments and minimizes transplant shock, making them ideal for landscaping and ornamental purposes.

VI. Conclusions and Recommendations

Please see the survey with tree locations, excel spreadsheet and pictures below. All trees accessible have been tagged with numbers that correspond with report and survey.
Total tree appraised value: \$56,225.80

PZ24-12000002

06/05/2024



Tree #	Common name	Botanical name	Height c/t	Canopy size	Condition	Price per in / ft	Value before Diminution	Value
1	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
2	Coconut palm	<i>Cocos nucifera</i>	25	24x24	70%	\$154.17	\$3,854.25	\$2,697.98
3	Coconut palm	<i>Cocos nucifera</i>	22	24x24	70%	\$154.17	\$3,391.74	\$2,374.22
4	Coconut palm	<i>Cocos nucifera</i>	25	24x24	70%	\$154.17	\$3,854.25	\$2,697.98
5	Coconut palm	<i>Cocos nucifera</i>	20	24x24	70%	\$154.17	\$3,083.40	\$2,158.38
6	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
7	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
8	Coconut palm	<i>Cocos nucifera</i>	22	24x24	70%	\$154.17	\$3,391.74	\$2,374.22
9	Coconut palm	<i>Cocos nucifera</i>	22	24x24	70%	\$154.17	\$3,391.74	\$2,374.22
10	Coconut palm	<i>Cocos nucifera</i>	25	24x24	70%	\$154.17	\$3,854.25	\$2,697.98
11	Coconut palm	<i>Cocos nucifera</i>	25	24x24	70%	\$154.17	\$3,854.25	\$2,697.98
12	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
13	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
14	Coconut palm	<i>Cocos nucifera</i>	17	24x24	70%	\$154.17	\$2,620.89	\$1,834.62
15	Coconut palm	<i>Cocos nucifera</i>	35	24x24	70%	\$154.17	\$5,395.95	\$3,777.17
16	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
17	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
18	Coconut palm	<i>Cocos nucifera</i>	27	24x24	70%	\$154.17	\$4,162.59	\$2,913.81

PZ24-12000002
06/05/2024

19	Coconut palm	<i>Cocos nucifera</i>	23	24x24	70%	\$154.17	\$3,545.91	\$2,482.14
20	Coconut palm	<i>Cocos nucifera</i>	22	24x24	70%	\$154.17	\$3,391.74	\$2,374.22
21	Coconut palm	<i>Cocos nucifera</i>	20	24x24	70%	\$154.17	\$3,083.40	\$2,158.38
22	Coconut palm	<i>Cocos nucifera</i>	17	24x24	70%	\$154.17	\$2,620.89	\$1,834.62
23	Coconut palm	<i>Cocos nucifera</i>	17	24x24	70%	\$154.17	\$2,620.89	\$1,834.62
24	Coconut palm	<i>Cocos nucifera</i>	22	24x24	70%	\$154.17	\$3,391.74	\$2,374.22
25	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
26	Coconut palm	<i>Cocos nucifera</i>	15	24x24	70%	\$154.17	\$2,312.55	\$1,618.79
								\$56,225.80

PZ24-12000002
06/05/2024



PZ24-12000002
06/05/2024



PZ24-12000002
06/05/2024



PZ24-12000002
06/05/2024



02.13.2024 09:14

PZ24-12060002
06/05/2024



PZ24-12000002
06/05/2024



PZ24-12000002
06/05/2024



PZ24-12000002
06/05/2024



PZ24-12000002
06/05/2024



PZ24-12000002

06/05/2024



Total tree appraised value: \$56,225.80

Please feel free to contact me should you have any questions.

In Support

Trea Jones

Trea Jones/Greenpeace Consulting Arborist

ISA Certified Arborist #FL-9929A

TRAQ, Tree Risk Assessment Qualification

Greenpeace Consulting Arborist is staffed by professional Arborists, Horticulturists, and Landscape Inspectors. We utilize associates with expertise in their fields to provide the most accurate, efficient and useful information available to clients. We stand behind our work and can additionally answer any questions or fulfill needs for additional information or services.

3407 Taconic Dr, West Palm Beach, FL 33406 Phone: (561)917-1728

Email: trea.jones736@outlook.com