



1 NORTH ELEVATION

1/8" = 1'-0"




2 SOUTH ELEVATION

1/8" = 1'-0"



3 EAST ELEVATION

1/8" = 1'-0"



4 WEST ELEVATION

1/8" = 1'-0"


KEYNOTES

- C1 FORMBOARD CONCRETE WALL, 4" WIDE WOOD FORMS. COLOR STANDARD CONCRETE GRAY. GRAFFITI RESISTANT RESIN TO BE APPLIED ON ALL EXTERIOR WALL SURFACES (FULL HEIGHT) ALONG THE BUILDING PERIMETER
- G1 IMPACT RESISTANT ALUMINUM STOREFRONT BY ECO WINDOW SYSTEMS WITH CLEAR GLASS. FRAME COLOR BRONZE
- M1 ALUMINUM TRELLIS BY KNOTWOOD MANUFACTURER. FAUX WOOD GRAIN FINISH COLOR HICKORY
- M6 COMMERCIAL STEEL IMPACT DOOR WITH VISION PANEL BY CECO DOOR PRODUCTS PAINTED BRONZE, OR APPROVED EQUAL
- M7 ROLLING STEEL SERVICE DOOR WITH VISION PANELS BY THE AMERICAN GARAGE DOOR SUPPLY OR APPROVED EQUAL
- M8 4 5' L X 5' H GALVANIZED STEEL PEDESTRIAN GATE WITH POWDER-COATED FINISH BY ALEKO OR APPROVED EQUAL
- M9 14' L X 6' H GALVANIZED STEEL ROLLING GATE WITH POWDER-COATED FINISH BY ALEKO OR APPROVED EQUAL

MATERIALS LEGEND



C1 FORMBOARD CONCRETE



G1 GLASS STOREFRONT



M1 ALUMINUM FAUX WOOD




M6 STEEL DOORS



M7 ROLLING STEEL SERVICE DOOR



M8 PEDESTRIAN GATE




M9 ROLLING GATE

NOTICE TO BUILDER:

TO THE BEST OF OUR KNOWLEDGE AND BELIEF, THE INFORMATION CONTAINED ON THESE DRAWINGS CONFORMS TO THE STANDARDS SET IN THE FLORIDA BUILDING CODE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL DIMENSIONS AND FIELD CONDITIONS PRIOR TO THE START OF THE WORK, AND NOTIFYING THE ARCHITECT AT ONCE OF ANY AND ALL ERRORS, DISCREPANCIES, IRREGULARITIES, OR OMISSIONS PERTAINING TO THE SUCCESSFUL COMPLETION OF THE PROJECT INDICATED.

PROFESSIONAL SEAL:



BOUKMAN MANGONES R.A.
FL ARCHITECT REG. NO. 100247
EXPIRATION DATE: FEBRUARY 28, 2027

SUBMITTAL DESCRIPTION / MILESTONE:

DRC APPLICATION
FEBRUARY 26th, 2025

REVISIONS:

DRAWING SHEET INFORMATION

BA PROJECT NO.: 02437
SCALE: AS NOTED
DATE: 02-26-2025
DRAWN BY: XXX
CHECKED BY: XXX

DRAWING TITLE:

MULTIPURPOSE AND
MAINTENANCE BLDG.
ELEVATIONS

SHEET NO.

A200.C

PZ25-12000002

04/02/2025