DRC
PZ22-12000023
03/01/2023

NO.	DATE	REMARKS	BY

©COPYRIGHT 2023 BY ENGENUITY GROUP, INC. DRAWINGS ISSUED FOR THIS INFORMATIONAL PURPOSES ONLY, UNLESS SIGNED AND SEALED BY A LICENSED PROFESSIONAL ENGINEER EMPLOYED BY ENGENUITY GROUP, INC.

ADAM SWANEY LICENSE No. 72235 STATE OF FLORIDA PROFESSIONAL ENGINEER

ADAM SWANEY, P.E.
NO. 72235

Digitally signed by Adam Swaney
Date: ~~2023.01.25~~ 11:04:39 -05'00'

J:\City STANDARDS\2019 Standards Details\Misc. 3-1.dwg, 11/2/2018 10:46:13 AM

TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
"A"	JOINT SHALL BE PLACED AT P.C. AND P.T. OF CURVES, JUNCTION OF EXISTING SIDEWALKS, EVERY 60' ON NEW SIDEWALKS AND WHERE SIDEWALKS ABUT CONCRETE CURBS, DRIVEWAYS AND SIMILAR STRUCTURES.
"B"	JOINT SHALL BE PLACED 5'-0" CENTER
"C"	JOINT SHALL BE PLACED AT 20' INTERVALS



TYPE "A" JOINT



TYPE "B" JOINT

TYPE "C" JOINT

NOTE: SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6".

SIDEWALK DETAILS

ENGINEERING STANDARDS 2019

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
		SCALE: N.T.S.	DATE: JUNE 2005 DWG. NO. 301-2

J:\City STANDARDS\2019 Standards Details\Misc. 3-1.dwg, 11/2/2018 10:47:11 AM



PROFILE



END VIEW

* 4" WIDE x DEPTH TO PROVIDE MINIMUM 1" CLEARANCE BELL PIPE TO CASING. LENGTH TO BE 2'-0" SHORTER THAN EACH LENGTH OF PIPE.

UNDERCROSSING DETAIL

ENGINEERING STANDARDS 2019

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	UNDERCROSSING DETAILS
S.S.	JUNE 2005	SCALE: N.T.S.	DATE: JUNE 2005 DWG. NO. 302-1

J:\City STANDARDS\2019 Standards Details\Misc. 3-2.dwg, 11/2/2018 11:24:15 AM



TYPICAL ROADWAY SECTION

ENGINEERING STANDARDS 2019

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	TYPICAL ROADWAY SECTION
S.S.	JUNE 2003		
S.S.	JAN. 2018	SCALE: N.T.S.	DATE: JUNE 1996 DWG. NO. 305-1

J:\City STANDARDS\2019 Standards Details\Drainage 4-2.dwg, 11/2/2018 10:29:34 AM



TOP VIEW

BOTTOM VIEW



SECTION

COVER FOR ALL FRAMES

ENGINEERING STANDARDS 2019

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	COVER FOR MANHOLES AND INLETS
		SCALE: N.T.S.	DATE: JUNE 1996 DWG. NO. 409-1

J:\City STANDARDS\2019 Standards Details\Misc. 4-1.dwg, 11/2/2018 10:24:00 AM



PLAN



SECTION

TYPE "C" INLET

RECOMMENDED MAXIMUM PIPE SIZE
2'-0" WALL-18" PIPE
3'-1" WALL-24" PIPE

ENGINEERING STANDARDS 2019

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	TYPE "C" INLET
S.S.	09-11	SCALE: N.T.S.	DATE: JUNE 1996 DWG. NO. 400-1

J:\City STANDARDS\2019 Standards Details\Misc. 4-2.dwg, 11/2/2018 2:33:44 PM



SAMPLE POINT (HYDRANT)

ALL POMPANO BEACH HYDRANTS SHALL BE PAINTED RED.

ALL D.I.P. TO BE PAINTED BLUE ON TOP HALF OF PIPE.

ENGINEERING STANDARDS 2019

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SAMPLE POINT (HYDRANT)
S.S.	04-2005	SCALE: N.T.S.	DATE: JUNE 1996 DWG. NO. 101-1

J:\City STANDARDS\2019 Standards Details\Water 1-1.dwg, 11/2/2018 2:34:09 PM



VALVE BOX SETTINGS

ENGINEERING STANDARDS 2019

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	VALVE BOX SETTINGS
S.S.	04-2005	SCALE: N.T.S.	DATE: JUNE 1996 DWG. NO. 102-1

J:\City STANDARDS\2019 Standards Details\Water 1-1.dwg, 11/2/2018 2:34:39 PM



GATE OR PLUG VALVE SETTING

USE MEGALUGS AT ALL PIPE JOINTS

ALL D.I.P. TO BE PAINTED BLUE ON TOP HALF OF PIPE.

ENGINEERING STANDARDS 2019

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	GATE OR PLUG VALVE SETTINGS
S.S.	04-2005		
T.W.	11-2007	SCALE: N.T.S.	DATE: JUNE 1996 DWG. NO. 103-1

95% SUBMITTAL

ADAM SWANEY, P.E., PROFESSIONAL ENGINEER LICENSE NO. 72235. THIS DOCUMENT HAS BEEN ELECTRONICALLY SIGNED AND SEALED BY ADAM SWANEY, P.E. USING A SHA-1 AUTHENTICATION CODE. PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SHA-1 AUTHENTICATION CODE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

Know what's below. Call before you dig.

MARTIN BROWER INDUSTRIAL
1661 NW 12TH AVENUE
POMPANO BEACH, FLORIDA
DETAILS

A Higher Standard of Excellence
engenuity group inc.
ENGINEERS • SURVEYORS • GIS MAPPERS
1280 N. CONGRESS AVE., SUITE 101
WEST PALM BEACH, FLORIDA 33409
PH (561)855-1151 • FAX (561)832-9390 •
WWW.ENGENUITYGROUP.COM CERTIFICATE OF AUTHORIZATION #7095

DATE	JANUARY 2023
DRAWN	RB
PROJECT ENGINEER	ACS
PROJECT MANAGER	RB
CHECKED	ACS

SHEET NO. 9 OF 11

JOB NO. 20049.01

J:\Land Projects R2\20049.01 Martin Brower Industrial\DWG\20049.01 DTLS.dwg DATE: 1/25/2023 10:43 AM

PLOT: 1/25/2023 10:45:05 AM