



Mail Processing Center  
Federal Aviation Administration  
Southwest Regional Office  
Obstruction Evaluation Group  
10101 Hillwood Parkway  
Fort Worth, TX 76177

Aeronautical Study No.  
2021-ASO-292-OE  
Prior Study No.  
2020-ASO-37501-OE

Issued Date: 03/19/2021

Nicholas Perez  
PRH 900 North Ocean, LLC  
315 S. Biscayne Blvd.  
Suite 400  
Miami, FL 33131

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

|            |  |
|------------|--|
| Structure: | Building Pt 1  |
| Location:  | Pompano Beach, FL  |
| Latitude:  | 26-14-47.65N NAD 83  |
| Longitude: | 80-05-13.65W   |
| Heights:   | 13 feet site elevation (SE)<br>28 feet above ground level (AGL)<br>41 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

☐ At least 10 days prior to start of construction (7460-2, Part 1)  
☒ Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

Based on this evaluation, marking and lighting are not necessary for aviation safety. However, if marking/lighting are accomplished on a voluntary basis, we recommend it be installed in accordance with FAA Advisory circular 70/7460-1 M.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 09/19/2022 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.

- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights, and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power, or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-292-OE.


**Signature Control No: 462532653-474921345**

( DNE )


Michael Blaich  
Specialist

Attachment(s)  
Map(s)











Mail Processing Center  
Federal Aviation Administration  
Southwest Regional Office  
Obstruction Evaluation Group  
10101 Hillwood Parkway  
Fort Worth, TX 76177

Aeronautical Study No.  
2021-ASO-293-OE  
Prior Study No.  
2020-ASO-37502-OE

Issued Date: 03/19/2021

Nicholas Perez  
PRH 900 North Ocean, LLC  
315 S. Biscayne Blvd.  
Suite 400  
Miami, FL 33131

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

|            |  |
|------------|--|
| Structure: | Building Pt 2  |
| Location:  | Pompano Beach, FL  |
| Latitude:  | 26-14-47.65N NAD 83  |
| Longitude: | 80-05-12.18W   |
| Heights:   | 13 feet site elevation (SE)<br>217 feet above ground level (AGL)<br>230 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- ☒ At least 10 days prior to start of construction (7460-2, Part 1)  
☒ Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 09/19/2022 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before April 18, 2021. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Rules and Regulations Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on April 28, 2021 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities, and the cumulative

impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-293-OE.

**Signature Control No: 462532654-474922183**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)



## Additional information for ASN 2021-ASO-293-OE

PMP = Pompano Beach Airpark  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule  
SIAP = Standard Instrument Approach Procedure

The proposed building project consists of eight points, represented by ASNs 2021-ASO-292-OE through 299. Two out of the eight points, ASN 21-292 and 297 submitted at height of 28 feet AGL, 41 feet AMSL have no impact to anything in the airspace. Six out of eight points, under ASNs 21-293 through 296, 298, and 299, were submitted at a height of 217 and 230 feet AGL, 230 and 243 feet AMSL. The building points are located approximately 1.32 to 1.34 NM east of the PMP ARP and from 92.15 degrees azimuth clockwise to 94.11 degrees azimuth from PMP.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) PMP --- > Exceeds by 11 and 24 feet.

Section 77.19 (a) PMP: Horizontal Surface --- > Exceeds by 61 and 74 feet.

Section 77.17(a)(3) - a height that increases minimum instrument flight altitudes within a terminal area (TERPS criteria).

### IMPACT ON FOLLOWING SIAP(s) @ PMP:

Obstacle penetrates RWY 10 40:1 Departure Surface from 16 to 31 feet requiring TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, RWY 10, 300 - 1 + 1 / 4 (ceiling - visibility) or Standard with a minimum climb gradient increase from 261 to 301 feet per NM to 400.

\*\*\*Currently, at PMP, TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS) show the following:

PMP RWY 10, 300 - 1 + 1 / 4 or Standard with minimum climb of 261 feet per NM to 300.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.



Details of the structure were circularized to the aeronautical public for comment. No letters of objection were received during the comment period.

#### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

#### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.

> The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.

> The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.


> The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.











Mail Processing Center  
Federal Aviation Administration  
Southwest Regional Office  
Obstruction Evaluation Group  
10101 Hillwood Parkway  
Fort Worth, TX 76177

Aeronautical Study No.  
2021-ASO-294-OE  
Prior Study No.  
2020-ASO-37503-OE

Issued Date: 03/19/2021

Nicholas Perez  
PRH 900 North Ocean, LLC  
315 S. Biscayne Blvd.  
Suite 400  
Miami, FL 33131

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

|            |  |
|------------|--|
| Structure: | Building Pt 3  |
| Location:  | Pompano Beach, FL  |
| Latitude:  | 26-14-47.53N NAD 83  |
| Longitude: | 80-05-11.28W   |
| Heights:   | 13 feet site elevation (SE)<br>217 feet above ground level (AGL)<br>230 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- ☒ At least 10 days prior to start of construction (7460-2, Part 1)  
☒ Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 09/19/2022 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before April 18, 2021. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Rules and Regulations Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on April 28, 2021 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities, and the cumulative

impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-294-OE.

**Signature Control No: 462532655-474922181**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)



## Additional information for ASN 2021-ASO-294-OE

PMP = Pompano Beach Airpark  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule  
SIAP = Standard Instrument Approach Procedure

The proposed building project consists of eight points, represented by ASNs 2021-ASO-292-OE through 299. Two out of the eight points, ASN 21-292 and 297 submitted at height of 28 feet AGL, 41 feet AMSL have no impact to anything in the airspace. Six out of eight points, under ASNs 21-293 through 296, 298, and 299, were submitted at a height of 217 and 230 feet AGL, 230 and 243 feet AMSL. The building points are located approximately 1.32 to 1.34 NM east of the PMP ARP and from 92.15 degrees azimuth clockwise to 94.11 degrees azimuth from PMP.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) PMP --- > Exceeds by 11 and 24 feet.

Section 77.19 (a) PMP: Horizontal Surface --- > Exceeds by 61 and 74 feet.

Section 77.17(a)(3) - a height that increases minimum instrument flight altitudes within a terminal area (TERPS criteria).

### IMPACT ON FOLLOWING SIAP(s) @ PMP:

Obstacle penetrates RWY 10 40:1 Departure Surface from 16 to 31 feet requiring TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, RWY 10, 300 - 1 + 1 / 4 (ceiling - visibility) or Standard with a minimum climb gradient increase from 261 to 301 feet per NM to 400.

\*\*\*Currently, at PMP, TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS) show the following:

PMP RWY 10, 300 - 1 + 1 / 4 or Standard with minimum climb of 261 feet per NM to 300.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

Details of the structure were circularized to the aeronautical public for comment. No letters of objection were received during the comment period.

#### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

#### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.

> The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.

> The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.

> The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.


The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.


The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.











Mail Processing Center  
Federal Aviation Administration  
Southwest Regional Office  
Obstruction Evaluation Group  
10101 Hillwood Parkway  
Fort Worth, TX 76177

Aeronautical Study No.  
2021-ASO-295-OE  
Prior Study No.  
2020-ASO-37504-OE

Issued Date: 03/19/2021

Nicholas Perez  
PRH 900 North Ocean, LLC  
315 S. Biscayne Blvd.  
Suite 400  
Miami, FL 33131

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

|            |  |
|------------|--|
| Structure: | Building Pt 4  |
| Location:  | Pompano Beach, FL  |
| Latitude:  | 26-14-44.89N NAD 83  |
| Longitude: | 80-05-11.73W   |
| Heights:   | 13 feet site elevation (SE)<br>217 feet above ground level (AGL)<br>230 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

☒ At least 10 days prior to start of construction (7460-2, Part 1)  
☒ Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

**DRC**

This determination expires on 09/19/2022 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before April 18, 2021. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Rules and Regulations Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on April 28, 2021 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities, and the cumulative



impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-295-OE.

**Signature Control No: 462532656-474922180**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)

## Additional information for ASN 2021-ASO-295-OE

PMP = Pompano Beach Airpark  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule  
SIAP = Standard Instrument Approach Procedure

The proposed building project consists of eight points, represented by ASNs 2021-ASO-292-OE through 299. Two out of the eight points, ASN 21-292 and 297 submitted at height of 28 feet AGL, 41 feet AMSL have no impact to anything in the airspace. Six out of eight points, under ASNs 21-293 through 296, 298, and 299, were submitted at a height of 217 and 230 feet AGL, 230 and 243 feet AMSL. The building points are located approximately 1.32 to 1.34 NM east of the PMP ARP and from 92.15 degrees azimuth clockwise to 94.11 degrees azimuth from PMP.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) PMP --- > Exceeds by 11 and 24 feet.

Section 77.19 (a) PMP: Horizontal Surface --- > Exceeds by 61 and 74 feet.

Section 77.17(a)(3) - a height that increases minimum instrument flight altitudes within a terminal area (TERPS criteria).

### IMPACT ON FOLLOWING SIAP(s) @ PMP:

Obstacle penetrates RWY 10 40:1 Departure Surface from 16 to 31 feet requiring TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, RWY 10, 300 - 1 + 1 / 4 (ceiling - visibility) or Standard with a minimum climb gradient increase from 261 to 301 feet per NM to 400.

\*\*\*Currently, at PMP, TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS) show the following:

PMP RWY 10, 300 - 1 + 1 / 4 or Standard with minimum climb of 261 feet per NM to 300.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

Details of the structure were circularized to the aeronautical public for comment. No letters of objection were received during the comment period.

#### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

#### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.

> The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.

> The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.

> The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.


The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.











Mail Processing Center  
Federal Aviation Administration  
Southwest Regional Office  
Obstruction Evaluation Group  
10101 Hillwood Parkway  
Fort Worth, TX 76177

Aeronautical Study No.  
2021-ASO-296-OE  
Prior Study No.  
2020-ASO-37505-OE

Issued Date: 03/19/2021

Nicholas Perez  
PRH 900 North Ocean, LLC  
315 S. Biscayne Blvd.  
Suite 400  
Miami, FL 33131

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

|            |  |
|------------|--|
| Structure: | Building Pt 5  |
| Location:  | Pompano Beach, FL  |
| Latitude:  | 26-14-45.01N NAD 83  |
| Longitude: | 80-05-12.63W   |
| Heights:   | 13 feet site elevation (SE)<br>217 feet above ground level (AGL)<br>230 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

☒ At least 10 days prior to start of construction (7460-2, Part 1)  
☒ Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.



This determination expires on 09/19/2022 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before April 18, 2021. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Rules and Regulations Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on April 28, 2021 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities, and the cumulative

impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-296-OE.

**Signature Control No: 462532657-474922182**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)

## Additional information for ASN 2021-ASO-296-OE

PMP = Pompano Beach Airpark  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule  
SIAP = Standard Instrument Approach Procedure

The proposed building project consists of eight points, represented by ASNs 2021-ASO-292-OE through 299. Two out of the eight points, ASN 21-292 and 297 submitted at height of 28 feet AGL, 41 feet AMSL have no impact to anything in the airspace. Six out of eight points, under ASNs 21-293 through 296, 298, and 299, were submitted at a height of 217 and 230 feet AGL, 230 and 243 feet AMSL. The building points are located approximately 1.32 to 1.34 NM east of the PMP ARP and from 92.15 degrees azimuth clockwise to 94.11 degrees azimuth from PMP.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) PMP --- > Exceeds by 11 and 24 feet.

Section 77.19 (a) PMP: Horizontal Surface --- > Exceeds by 61 and 74 feet.

Section 77.17(a)(3) - a height that increases minimum instrument flight altitudes within a terminal area (TERPS criteria).

### IMPACT ON FOLLOWING SIAP(s) @ PMP:

Obstacle penetrates RWY 10 40:1 Departure Surface from 16 to 31 feet requiring TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, RWY 10, 300 - 1 + 1 / 4 (ceiling - visibility) or Standard with a minimum climb gradient increase from 261 to 301 feet per NM to 400.

\*\*\*Currently, at PMP, TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS) show the following:

PMP RWY 10, 300 - 1 + 1 / 4 or Standard with minimum climb of 261 feet per NM to 300.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.



Details of the structure were circularized to the aeronautical public for comment. No letters of objection were received during the comment period.

#### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

#### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.

> The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.

> The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.

> The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.


The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

# TOPO Map for ASN 2021-ASO-296-OE











Mail Processing Center  
Federal Aviation Administration  
Southwest Regional Office  
Obstruction Evaluation Group  
10101 Hillwood Parkway  
Fort Worth, TX 76177

Aeronautical Study No.  
2021-ASO-297-OE  
Prior Study No.  
2020-ASO-37506-OE

Issued Date: 03/19/2021

Nicholas Perez  
PRH 900 North Ocean, LLC  
315 S. Biscayne Blvd.  
Suite 400  
Miami, FL 33131

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

|            |  |
|------------|--|
| Structure: | Building Pt 6  |
| Location:  | Pompano Beach, FL  |
| Latitude:  | 26-14-45.01N NAD 83  |
| Longitude: | 80-05-14.08W   |
| Heights:   | 13 feet site elevation (SE)<br>28 feet above ground level (AGL)<br>41 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

       At least 10 days prior to start of construction (7460-2, Part 1)  
  X   Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

Based on this evaluation, marking and lighting are not necessary for aviation safety. However, if marking/lighting are accomplished on a voluntary basis, we recommend it be installed in accordance with FAA Advisory circular 70/7460-1 M.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 09/19/2022 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.

- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights, and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power, or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

If we can be of further assistance, please contact our office at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-297-OE.


**Signature Control No: 462532658-474921346**

( DNE )

Michael Blaich  
Specialist

Attachment(s)  
Map(s)











Mail Processing Center  
Federal Aviation Administration  
Southwest Regional Office  
Obstruction Evaluation Group  
10101 Hillwood Parkway  
Fort Worth, TX 76177

Aeronautical Study No.  
2021-ASO-298-OE  
Prior Study No.  
2020-ASO-37507-OE

Issued Date: 03/19/2021

Nicholas Perez  
PRH 900 North Ocean, LLC  
315 S. Biscayne Blvd.  
Suite 400  
Miami, FL 33131

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

|            |  |
|------------|--|
| Structure: | Building Pt 7  |
| Location:  | Pompano Beach, FL  |
| Latitude:  | 26-14-47.39N NAD 83  |
| Longitude: | 80-05-11.99W   |
| Heights:   | 13 feet site elevation (SE)<br>230 feet above ground level (AGL)<br>243 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- ☒ At least 10 days prior to start of construction (7460-2, Part 1)  
☒ Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.

This determination expires on 09/19/2022 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before April 18, 2021. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Rules and Regulations Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on April 28, 2021 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities, and the cumulative



impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-298-OE.

**Signature Control No: 462532659-474922179**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)

## Additional information for ASN 2021-ASO-298-OE

PMP = Pompano Beach Airpark  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule  
SIAP = Standard Instrument Approach Procedure

The proposed building project consists of eight points, represented by ASNs 2021-ASO-292-OE through 299. Two out of the eight points, ASN 21-292 and 297 submitted at height of 28 feet AGL, 41 feet AMSL have no impact to anything in the airspace. Six out of eight points, under ASNs 21-293 through 296, 298, and 299, were submitted at a height of 217 and 230 feet AGL, 230 and 243 feet AMSL. The building points are located approximately 1.32 to 1.34 NM east of the PMP ARP and from 92.15 degrees azimuth clockwise to 94.11 degrees azimuth from PMP.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) PMP --- > Exceeds by 11 and 24 feet.

Section 77.19 (a) PMP: Horizontal Surface --- > Exceeds by 61 and 74 feet.

Section 77.17(a)(3) - a height that increases minimum instrument flight altitudes within a terminal area (TERPS criteria).

### IMPACT ON FOLLOWING SIAP(s) @ PMP:

Obstacle penetrates RWY 10 40:1 Departure Surface from 16 to 31 feet requiring TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, RWY 10, 300 - 1 + 1 / 4 (ceiling - visibility) or Standard with a minimum climb gradient increase from 261 to 301 feet per NM to 400.

\*\*\*Currently, at PMP, TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS) show the following:

PMP RWY 10, 300 - 1 + 1 / 4 or Standard with minimum climb of 261 feet per NM to 300.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.

Details of the structure were circularized to the aeronautical public for comment. No letters of objection were received during the comment period.

#### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

#### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.

> The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.

> The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.

> The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.


The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.











Mail Processing Center  
Federal Aviation Administration  
Southwest Regional Office  
Obstruction Evaluation Group  
10101 Hillwood Parkway  
Fort Worth, TX 76177

Aeronautical Study No.  
2021-ASO-299-OE  
Prior Study No.  
2020-ASO-37508-OE

Issued Date: 03/19/2021

Nicholas Perez  
PRH 900 North Ocean, LLC  
315 S. Biscayne Blvd.  
Suite 400  
Miami, FL 33131

**\*\* DETERMINATION OF NO HAZARD TO AIR NAVIGATION \*\***

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

|            |  |
|------------|--|
| Structure: | Building Pt 8  |
| Location:  | Pompano Beach, FL  |
| Latitude:  | 26-14-45.40N NAD 83  |
| Longitude: | 80-05-12.32W   |
| Heights:   | 13 feet site elevation (SE)<br>230 feet above ground level (AGL)<br>243 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure would have no substantial adverse effect on the safe and efficient utilization of the navigable airspace by aircraft or on the operation of air navigation facilities. Therefore, pursuant to the authority delegated to me, it is hereby determined that the structure would not be a hazard to air navigation provided the following condition(s) is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, red lights-Chapters 4,5(Red),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- ☒ At least 10 days prior to start of construction (7460-2, Part 1)  
☒ Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

See attachment for additional condition(s) or information.

The structure considered under this study lies in proximity to an airport and occupants may be subjected to noise from aircraft operating to and from the airport.



This determination expires on 09/19/2022 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is subject to review if an interested party files a petition that is received by the FAA on or before April 18, 2021. In the event a petition for review is filed, it must contain a full statement of the basis upon which it is made and be submitted to the Manager of the Rules and Regulations Group. Petitions can be submitted via mail to Federal Aviation Administration, 800 Independence Ave, SW, Washington, DC 20591, via email at [OEPetitions@faa.gov](mailto:OEPetitions@faa.gov), or via facsimile (202) 267-9328.

This determination becomes final on April 28, 2021 unless a petition is timely filed. In which case, this determination will not become final pending disposition of the petition. Interested parties will be notified of the grant of any review. For any questions regarding your petition, please contact Rules and Regulations Group via telephone – 202-267-8783.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

This aeronautical study considered and analyzed the impact on existing and proposed arrival, departure, and en route procedures for aircraft operating under both visual flight rules and instrument flight rules; the impact on all existing and planned public-use airports, military airports and aeronautical facilities, and the cumulative

impact resulting from the studied structure when combined with the impact of other existing or proposed structures. The study disclosed that the described structure would have no substantial adverse effect on air navigation.

An account of the study findings, aeronautical objections received by the FAA during the study (if any), and the basis for the FAA's decision in this matter can be found on the following page(s).

If we can be of further assistance, please contact Michael Blaich, at (404) 305-6462, or [mike.blaich@faa.gov](mailto:mike.blaich@faa.gov). On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-299-OE.

**Signature Control No: 462532660-474920962**

( DNH )

Mike Helvey

Manager, Obstruction Evaluation Group

Attachment(s)

Additional Information

Map(s)

## Additional information for ASN 2021-ASO-299-OE

PMP = Pompano Beach Airpark  
AGL = Above Ground Level  
AMSL = Above Mean Sea Level  
NM = Nautical Miles  
ARP = Airport Reference Point  
ASN = Aeronautical Study Number  
RWY = Runway  
IFR = Instrument Flight Rule  
SIAP = Standard Instrument Approach Procedure

The proposed building project consists of eight points, represented by ASNs 2021-ASO-292-OE through 299. Two out of the eight points, ASN 21-292 and 297 submitted at height of 28 feet AGL, 41 feet AMSL have no impact to anything in the airspace. Six out of eight points, under ASNs 21-293 through 296, 298, and 299, were submitted at a height of 217 and 230 feet AGL, 230 and 243 feet AMSL. The building points are located approximately 1.32 to 1.34 NM east of the PMP ARP and from 92.15 degrees azimuth clockwise to 94.11 degrees azimuth from PMP.

The proposal would exceed the Obstruction Standards of Title 14, Code of Federal Regulations (14 CFR), Part 77 as follows:

Section 77.17 (a)(2) PMP --- > Exceeds by 11 and 24 feet.

Section 77.19 (a) PMP: Horizontal Surface --- > Exceeds by 61 and 74 feet.

Section 77.17(a)(3) - a height that increases minimum instrument flight altitudes within a terminal area (TERPS criteria).

### IMPACT ON FOLLOWING SIAP(s) @ PMP:

Obstacle penetrates RWY 10 40:1 Departure Surface from 16 to 31 feet requiring TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, RWY 10, 300 - 1 + 1 / 4 (ceiling - visibility) or Standard with a minimum climb gradient increase from 261 to 301 feet per NM to 400.

\*\*\*Currently, at PMP, TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS) show the following:

PMP RWY 10, 300 - 1 + 1 / 4 or Standard with minimum climb of 261 feet per NM to 300.

Part 77 Obstruction Standards are used to screen the many proposals submitted in order to identify those which warrant further aeronautical study in order to determine if they would have significant adverse effect on protected aeronautical operations. While the obstruction standards may trigger further study, that may include circularization to the aeronautical public, they do not constitute absolute or arbitrary criteria for identification of hazards to air navigation. Accordingly, the fact that a proposed structure exceeds an obstruction standard of Part 77 does not provide a basis for a determination that the structure would be a hazard to air navigation.



Details of the structure were circularized to the aeronautical public for comment. No letters of objection were received during the comment period.

#### AERONAUTICAL STUDY FOR POSSIBLE INSTRUMENT FLIGHT RULES (IFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed IFR minimum flight altitudes.

#### AERONAUTICAL STUDY FOR POSSIBLE VISUAL FLIGHT RULES (VFR) EFFECT DISCLOSED THE FOLLOWING:

> The proposed structure would have no effect on any existing or proposed VFR arrival or departure routes, operations or procedures.

> The proposed structure would not conflict with airspace required to conduct normal VFR traffic pattern operations at any known public use or military airports.

> The proposed structure would not penetrate those altitudes that are normally considered available to airmen for VFR en route flight.

> The proposed structure will be appropriately obstruction marked and lighted to make it more conspicuous to airmen.

The proposed structures' proximity to the airport was considered and found to be acceptable.

The impact on arrival, departure, and en route procedures for aircraft operating under VFR/IFR conditions at existing and planned public use and military airports, as well as aeronautical facilities, was considered during the analysis of the structure. The aeronautical study disclosed that the proposed structure would have no substantial adverse effect upon any terminal or en route instrument procedure or altitude.

The cumulative impact (IFR/VFR) resulting for the structure, when combined with the impact of other existing or proposed structures was considered and found to be acceptable.

Therefore, it is determined that the proposed structure would not have a substantial adverse effect upon the safe and efficient utilization of the navigable airspace by aircraft or on any navigation facility and would not be a hazard to air navigation.

